INDEX TO AUTHORS

A

ACEVEDO, WINSTON. See BONNEY, GERY, LIN, MEYENHOFER, ACEVEDO, and DAVIES 261

ALABA, OLUSOLA, and LAW, LLOYD W. Secondary induction of cytotoxic T lymphocytes with solubilized syngeneic tumor cell plasma membranes 1435

ALBRECHT, PAUL. See ENNIS, WELLS, BUTCHKO, and ALBRECHT 1241

ALTER, BARBARA J. See BACH and ALTER 829

ALTHAGE, A. See ZINKERNAGEL, ALTHAGE, COOPER, CALLAHAN, and KLEIN 805

—. See ZINKERNAGEL, ALTHAGE, COOPER, KREEB, KLEIN, SEFTON, FLAHERTY, STIMPFLING, SHREFFLER, and KLEIN 592

ANDERSSON, LEIF C. See GAHMBERG and ANDERSSON 507

ANDREW, SUSAN L. See REINISCH and ANDREW 619

ANDREWS, BRIAN S., EISENBERG, Robert A., THEOFILOPOULOS, ARGYRIOS N., IZUI, SHOZO, WILSON, CURTIS B., MCCONAHEY, PATRICIA J., MURPHY, EDWIN D., ROTHS, JOHN B., and DIXON, FRANK J. Spontaneous murine lupus like syndromes. Clinical and immunopathological manifestations in several strains 1198

ASOFSKY, RICHARD. See SIECKMANN, SCHER, ASOFSKY, MOSIER, and PAUL 1628

B

BACH, FRITZ H., and ALTER, BARBARA J. Alternative pathways of T lymphocyte activation 829

—. See HAYES and BACH 692

—. See SOPORI, BERNSTEIN, and BACH 953

—. See SUGAMURA, SHIMIZU, and BACH 276

BAGGIOLINI, MARCO. See SCHNYDER and BAGGIOLINI 435

BAILEY, DON. See SIMPSON, MOBRAATEN, CHANDLER, HETHERINGTON, HURME, BRUNNER, and BAILEY 1478

BAKER, PAUL E. See GILLIS, BAKER, RUSCETTI, and SMITH 1093

BALTIMORE, DAVID. See RUDDLE, CONTA, LEINWAND, KOZAK, RUDDLE, BESMER, and BALTIMORE 451

BASS, JAMES W. See FISCHER, LOWELL, CRUMRINE, and BASS 776

BAUER, EUGENE A., and EISEN, ARTHUR Z. Recessive dystrophic epidermolysis bullosa. Evidence for increased collagenase as a genetic characteristic in cell culture 1378

BAUM, LINDA L., and PILARSKI, LINDA M. In vitro generation of antigen-specific helper T cells that collaborate with cytotoxic T-cell precursors 1579

BEHIN, REZA. See MAUEL, BÜCHMULLER, and BEHIN 393

BELLGRAU, DONALD, and WILSON, DARCY B. Immunological studies of T-cell receptors. I. Specifically induced resistance to graft-versus-host disease in rats mediated by host T-cell immunity to alloreactive parental T cells 103

BENACERRAF, BARUJ. See BILLINGS, BURAKOFF, DORF, and BENACERRAF 341, 352

—. See BURAKOFF, FINBERG, GLIMCHER, LEMONNIER, BENACERRAF, and CANTOR 1414

—. See CHEUNG, SHERR, HEGHINIAN, BENACERRAF, and DORF 1539

—. See GERMAIN and BENACERRAF 1324

BENNETT, DOROTHEA. See BERNARD, SCHEID, RIPOCHE, and BENNETT 580

BENNINK, JACK R., and DOHERTY, PETER C. T-cell populations specifically depleted of alloreactive potential cannot be induced to lyse H-2-different virus-infected target cells 128

—. See DOHERTY, BIDDISON, BENNINK, and KNOWLES 534

BERENDT, MICHAEL J., NORTH, ROBERT J., and KIRSTEIN, DAVID P. The immunological basis of endotoxin-induced tumor regression. Requirement for T-cell-mediated immunity 1550

—. NORTH, ROBERT J., and KIRSTEIN, DAVID P. The immunological basis of endotoxin-induced tumor regression. Requirement for a pre-existing state of concomitant anti-tumor immunity 1560

BERGER, R. See FELLOUS, GÜNTHER, KEMLER, WIELS, BERGER, GUENET, JAKOB, and JACOB 58

BERNARD, OLIVIER, SCHEID, MARGRIT P., RIPOCHE, MARIE-ANNE, and BENNETT, DOROTHEA. Immunological studies of mouse decidual cells. I. Membrane markers of decidual cells in the days after implantation 580

BERNSTEIN, ALON. See SOPORI, BERNSTEIN, and BACH 953

BESMER, PETER. See RUDDLE, CONTA, LEINWAND, KOZAK, RUDDLE, BESMER, and BALTIMORE 451

BETZ, SALLY J. See DOE, YANG, MORRISON, BETZ, and HENSON 557

BEVAN, MICHAEL J. See FINK and BEVAN 766

BHAN, ATUL K., SCHNEEBERGER, EVELINE E., COLLINS, ALFRED B., and MCCLUSKY, ROBERT T. Evidence for a pathologic role of a cell-mediated immune mechanism in experimental glomerulonephritis 246

BIDDISON, WILLIAM E., HANSEN, TED H., LEVY, ROBERT B., and DOHERTY, PETER C. Involvement of *H-2L* gene products in virus-immune T-cell recognition. Evidence for an *H-2L*-restricted T-cell response 1678

Biddison, William E., Hansen, Ted H., Levy, Robert B., and Doherty, Peter C. See Doherty, Biddison, Bennink, and Knowles 534
Billings, Paul, Burakoff, Steven J., Dorf, Martin E., and Benacerraf, Baruj. Genetic control of cytolytic T-lymphocyte responses. I. Ir gene control of the specificity of cytolytic T-lymphocyte responses to trinitrophenyl-modified syngeneic cells 341
—. Burakoff, Steven J., Dorf, Martin E., and Benacerraf, Baruj. Genetic control of cytolytic T-lymphocyte responses. II. The role of the host genotype in parental → F_1 radiation chimeras in the control of the specificity of cytolytic T-lymphocyte responses to trinitrophenyl-modified syngeneic cells 352
Bing, David H. See Morris, Colten, and Bing 1007
Blanden, R. V. See Kees, Müllbacher, and Blanden 1711
Blobstein, Steven H. See Meshnick, Blobstein, Grady, and Cerami 569
Block, Lutz H., Georgopoulos, Apostolos, Mayer, Peter, and Drews, Jürgen. Nonspecific resistance to bacterial infections. Enhancement by ubiquinone-8 1228
Blomberg, Bonnie. See Coutinho, Forni, and Blomberg 862
Bogowitz, Cheryl A. See Katz, Skidmore, Katz, and Bogowitz 727
Bona, C., Yano, Akihiko, Dimitriu, A., and Miller, R. G. Mitogenic analysis of murine B-cell heterogeneity 136
Bonney, Robert J., Gery, Igal, Lin Tsau-Yen, Meyenhofer, Markus F., Acevedo, Winston, and Davies, Philip. Mononuclear phagocytes from carrageenan-induced granulomas. Isolation, cultivation, and characterization 261
Bottomly, K., Mathieson, B. J., and Mosier, D. E. Anti-idiotype induced regulation of helper cell function for the response to phosphorylcholine in adult BALB/c mice 1216
Boyse, Edward A. See Obata, Stockert, Yamaguchi, and Boyse 793
—. See Stanton, Calkins, Jandinski, Schendel, Stutman, Cantor, and Boyse 963
Brown, Hannah R. See Thormar, Mehta, and Brown 674
Broxmeyer, Hal E., Smithyman, Anthony, Eger, Richard R., Meyers, Paul A., and de Sousa, Maria. Identification of lactoferrin as the granulocyte-derived inhibitor of colony-stimulating activity production 1052
—. See Winchester, Meyers, Broxmeyer, Wang, Moore, and Kunkel 613
Brunner, Carolyn. See Simpson, Mobraaten, Chandler, Hetherington, Hurme, Brunner, and Bailey 1478
Büchmuller, Yolande. See Mauel, Buchmüller, and Behin. 393
Burakoff, Steven J., Finberg, Robert, Glimcher, Laurie, Lemonnier, Francois, Benacerraf, Baruj, and Cantor, Harvey. The biological significance of alloreactivity. The ontogeny of T-cell sets specific for alloantigens or modified self antigens 1414
—. See Billings, Burakoff, Dorf, and Benacerraf 341, 352
—. See Finberg, Mescher, and Burakoff 1620
Butchko, Gregory M. See Ennis, Wells, Butchko, and Albrecht 1241

C

Calkins, C. E. See Stanton, Calkins, Jandinski, Schendel, Stutman, Cantor, and Boyse 963
Callahan, G. See Zinkernagel, Althage, Cooper, Callahan, and Klein 805
Cancro, Michael P. See Pierce, Cancro, and Klinman 759
Cantor, Harvey, Hugenberger, J., McVay-Boudreau, L., Eardley, D. D., Kemp, J., Shen, F. W., and Gershon, R. K. Immunoregulatory circuits among T-cell sets. Identification of a subpopulation of T-helper cells that induces feedback inhibition 871
—. See Burakoff, Finberg, Glimcher, Lemonnier, Benacerraf, and Cantor 1414
—. See Stanton, Calkins, Jandinski, Schendel, Stutman, Cantor, and Boyse 963
Carson, Dennis A. See Slaughter, Carson, Jensen, Holbrook, and Vaughan 1429
Centis, Dora. See Tosi, Tanigaki, Centis, Ferrara, and Pressman 1592
Cerami, Anthony. See Meshnick, Blobstein, Grady, and Cerami 569
Chandler, Phillip. See Simpson, Mobraaten, Chandler, Hetherington, Hurme, Brunner, and Bailey 1478
Chesebro, Bruce. See Doig and Chesebro 1109
Cheung, Nai-Kong, Sherr, David H., Heghinian, Krikor M., Benacerraf, Baruj, and Dorf, Martin E. Immune suppression in vivo with antigen-modified syngeneic cells. I. T-cell-mediated suppression to the terpolymer poly-(Glu, Lys, Phe)$_n$ 1539
Chiorazzi, N. See Fu, Chiorazzi, Kunkel, Halper, and Harris 1570
—. See Fu, Chiorazzi, Wang, Montazeri, Kunkel, Ko, and Gottlieb 1423
Cohn, Melvin. See Geckeler, Faversham, and Cohn 1122
Cohn, Zanvil A. See Johnston, Godzik, and Cohn 115
—. See Nogueira and Cohn 288
Collins, Alfred B. See Bhan, Schneeberger, Collins, and McClusky 246
Colten, Harvey R. See Morris, Colten, and Bing 1007
Conta, Barbara S. See Ruddle, Conta, Leinwand, Kozak, Ruddle, Besmer, and Baltimore 451
Cook, Ronald M. See Fong, Nitecki, Cook, and Goodman 817
Cooper, Max D. See Hayward, Simons, Lawton, Mage, and Cooper 1367
Cooper, S. See Zinkernagel, Althage, Cooper,

CALLAHAN, and KLEIN 805
COOPER, S. See ZINKERNAGEL, ALTHAGE, COOPER, KREEB, KLEIN, SEFTON, FLAHERTY, STIMPFLING, SHREFFLER, and KLEIN 592
COTNER, TOM, and EISEN, HERMAN N. The natural abundance of λ-2 light chains in inbred mice 1388
COUTINHO, ANTONIO, FORNI, LUCIANA, and BLOMBERG, BONNIE. Shared antigenic determinants by mitogen receptors and antibody molecules to the same thymus-independent antigen 862
CROFTON, R. W., DIESSELHOFF-DEN DULK, MARTINA M. C., and VAN FURTH, R. The origin, kinetics, and characteristics of the Kupffer cells in the normal steady state 1
CRUMRINE, MARTIN H. See FISCHER, LOWELL, CRUMRINE, and BASS 776

D

DATTA, SYAMAL, K., and SCHWARTZ, ROBERT S. Restricted expression of ecotropic virus by thymocytes of leukemia-resistant (AKR × NZB) F_1 mice 329
DAVID, JOHN, R. See LADZINS, KÜHNER, DAVID, and KARNOVSKY 746
DAVIES, PHILIP. See BONNEY, GERY, LIN, MEYENHOFER, ACEVEDO, and DAVIES 261
DAY, EUGENE D. See FUJINAMI, PATERSON, DAY, and VARITEK 1716
DE LA HOZ, RAFAEL. See TRISSL, MARTÍNEZ-PALOMO, DE LA TORRE, DE LA HOZ, and DE SUÁREZ 1137
DE LA TORRE, MARGARITA. See TRISSL, MARTÍNEZ-PALOMO, DE LA TORRE, DE LA HOZ, and DE SUÁREZ 1137
DE SOUSA, MARIA. See BROXMEYER, SMITHYMAN, EGER, MEYERS, and DE SOUSA 1052
DE SUÁREZ, EVA PÉREZ. See TRISSL, MARTÍNEZ-PALOMO, DE LA TORRE, DE LA HOZ, and DE SUÁREZ 1137
DIMITRIU, A. See BONA, YANO, DIMITRIU, and MILLER 136
DIESSELHOFF-DEN DULK, MARTINA M. C. See CROFTON, DIESSELHOFF-DEN DULK, and VAN FURTH 1
DIXON, FRANK, J. See ANDREWS, EISENBERG, THEOFILOPOULOS, IZUI, WILSON, MCCONAHEY, MURPHY, ROTHS, and DIXON 1198
DOE, WILLIAM F., and HENSON, PETER M. Macrophage stimulation by bacterial lipopolysaccharides. I. Cytolytic effect on tumor target cells 544
—. YANG, SOU TUNG, MORRISON, DAVID C., BETZ, SALLY J., and HENSON, PETER M. Macrophage stimulation by bacterial lipopolysaccharides. II. Evidence for differentiation signals delivered by lipid A and by a protein rich fraction of lipopolysaccharides 557
DOHERTY, PETER C., BIDDISON, WILLIAM E., BENNINK, JACK R., and KNOWLES, BARBARA B. Cytotoxic T-cell responses in mice infected with influenza and vaccinia viruses vary in magnitude with *H-2* genotype 534
—. See BENNINK and DOHERTY 128
—. See BIDDISON, HANSEN, LEVY, and DOHERTY 1678
DOIG, DON, and CHESEBRO, BRUCE. Antibody-induced loss of Friend virus leukemia cell surface antigens occurs during progression of erythroleukemia in F_1 mice 1109
DORF, MARTIN E. See BILLINGS, BURAKOFF, DORF, and BENACERRAF 341, 352
—. See CHEUNG, SHERR, HEGHINIAN, BENACERRAF, and DORF 1539
DORSCH, SUSAN. See HALL, DORSCH, and ROSER 878, 890
DOYLE, MICHAEL V. See PARKS, DOYLE, and WEIGLE 625
DREWS, JÜRGEN. See BLOCK, GEORGOPOULOS, MAYER, and DREWS 1228

E

EARDLEY, D. D. See CANTOR, HUGENBERGER, MCVAY-BOUDREAU, EARDLEY, KEMP, SHEN, and GERSHON 871
EGER, RICHARD R. See BROXMEYER, SMITHYMAN, EGER, MEYERS, and DE SOUSA 1052
EISEN, ARTHUR Z. See BAUER and EISEN 1378
EISEN, HERMAN N. See COTNER and EISEN 1388
EISENBERG, ROBERT A. See ANDREWS, EISENBERG, THEOFILOPOULOS, IZUI, WILSON, MCCONAHEY, MURPHY, ROTHS, and DIXON 1198
ELLIOT, S. D., and TAI, JOSEPH Y. The type-specific polysaccharides of *Streptococcus suis* 1699
ENNIS, FRANCIS A., WELLS, MARTHA A., BUTCHKO, GREGORY M., and ALBRECHT, PAUL. Evidence that cytotoxic T cells are part of the host's response to influenza pneumonia 1241
EVANS, ROBERT L., FALDETTA THOMAS J., HUMPHREYS, ROBERT E., PRATT, DIANE M., YUNIS, EDMOND J., and SCHLOSSMAN, STUART F. Peripheral human T cells sensitized in mixed leukocyte culture synthesize and express Ia-like antigens 1440

F

FABRICANT, C. G., FABRICANT, J., LITRENTA, M. M., and MINICK, C. R. Virus-induced atherosclerosis 335
FABRICANT, J. See FABRICANT, FABRICANT, LITRENTA, and MINICK 335
FALDETTA, THOMAS J. See EVANS, FALDETTA, HUMPHREYS, PRATT, YUNIS, and SCHLOSSMAN 1440
FAVERSHAM, JEROME. See GECKELER, FAVERSHAM, and COHN 1122
FEILD, JOHN. See RUSCETTI, LINEMEYER, FEILD, TROXLER, and SCOLNICK 654
FELDMANN, GERARD. See KUSHNER and FELDMANN 466
FELLOUS, M., GÜNTHER, E., KEMLER, R., WIELS, J., BERGER, R., GUENET, J. L., JAKOB, H., and JACOB, F. Association of the H-Y male antigen with β_2-microglobulin on human lymphoid and differentiated mouse teratocarcinoma cell lines 58
FERRARA, GIOVANNI BATTISTA. See TOSI, TANIGAKI, CENTIS, FERRARA, and PRESSMAN 1592
FERREIRA, ARTURO, NUSSENZWEIG, VICTOR, and GIGLI, IRMA. Structural and functional differences

between the H-2 controlled Ss and Slp proteins 1186
—. See Scharfstein, Ferreira, Gigli, and Nussenzweig 207
Finberg, Robert, Mescher, Matthew, and Burakoff, and Steven J. The induction of virus-specific cytotoxic T lymphocytes with solubilized viral and membrane proteins 1620
—. See Burakoff, Finberg, Glimcher, Lemonnier, Benacerraf, and Cantor 1414
Fink, Pamela J., and Bevan, Michael J. H-2 antigens of the thymus determine lymphocyte specificity 766
Finn, O. See Kicciardi-Castagnoli, Lieberman, Finn, and Kaplan 1292
Fischer, Gerarld W., Lowell, George H., Crumrine, Martin H., and Bass, James W. Demonstration of opsonic activity and in vivo protection against group B streptococci type III by *Streptococcus penumoniae* type 14 antisera 776
Flaherty, L. See Zinkernagel, Althage, Cooper, Kreeb, Klein, Sefton, Flaherty, Stimpfling, Shreffler, and Klein 592
Fong, Sherman, Nitecki, Danute E., Cook, Ronald M., and Goodman, Joel W. Spatial requirements between haptenic and carrier determinants for T-dependent antibody responses 817
Forni, Luciana. See Coutinho, Forni, and Blomberg 862
Fotino, M. See Gibofsky, Winchester, Patarroyo, Fotino, and Kunkel 1728
Franklin, E. C. See Lavie, Zucker-Franklin, and Franklin 1020
Franklin, Rudolph M., Prendergast, Robert A., and Silverstein, Arthur M. Nonspecific signals for B-cell localization and activation 1705
Fu, S. M., Chiorazzi, N., Wang, C. Y., Montazeri, G., Kunkel, H. G., Ko, H. S., and Gottlieb, A. B. Ia-bearing T lymphocytes in man. Their identification and role in the generation of allogeneic helper activity 1423
—. Chiorazzi, N., Kunkel, H. G., Halper, J. P., and Harris, S. R. Induction of in vitro differentiation and immunoglobulin synthesis of human leukemic B lymphocytes 1570
Fujinami, Robert S., Paterson, Philip Y., Day, Eugene D., and Varitek, Vincent A. Myelin basic protein serum factor. An endogenous neuroantigen influencing development of experimental allergic encephalomyelitis in Lewis rats 1716
Fujita, Teizo, Gigli, Irma, and Nussenzweig, Victor. Human C4-binding protein. II. Role in proteolysis of C4b by C3b-inactivator 1044

G

Gahmberg, Carl G., and Andersson, Leif C. Leukocyte surface origin of human α_1-acid glycoprotein (orosomucoid) 507
Galama, J. M. D. See Lucas, Ubels-Postma, Rezee, and Galama 940
Galardy, Richard E. See Ives, Schultz, Galardy, and Jamieson 1400
Galfre, G. See White, Mason, Williams, Galfre, and Milstein 664
Geckeler, William, Faversham, Jerome, and Cohn, Melvin. On a regulatory gene controlling the expression of the murine λ_1 light chain 1122
Gefter, Malcom L. See Sonenshein, Siekevitz, Siebert, and Gefter 301
Geha, Raif S. See Mudawwar, Yunis, and Geha 1032
Georgopoulos, Apostolos. See Block, Georgopoulos, Mayer, and Drews 1228
Gerhard, W., and Webster, R. G. Antigenic drift in influenza A viruses. I. Selection and characterization of antigenic variants of A/PR/8/34 [HON1] influenza virus with monoclonal antibodies 383
Germain, Ronald N., and Benacerraf, Baruj. The involvement of suppressor T cells in Ir gene regulation of secondary antibody responses of primed (responder × nonresponder) F_1 mice to macrophage-bound L-glutamic acid^{60}-L-alanine^{30}-L-tyrosine^{10} 1324
Gershon, Richard K. See Cantor, Hugenberger, McVay-Boudreau, Eardley, Kemp, Shen, and Gershon 871
—. See Ptak, Zembala, and Gershon 424
Gery, Igal. See Bonney, Gery, Lin, Meyenhoffer, Acevedo, and Davies 261
Gibofsky, A., Winchester, R. J., Patarroyo, M., Fotino, M., and Kunkel, H. G. Disease associations of the Ia-like human alloantigens. Contrasting patterns in rheumatoid arthritis and systemic lupus erythematosus 1728
Gigli, Irma. See Ferreira, Nussenzweig, and Gigli 1186
—. See Fujita, Gigli, and Nussenzweig 1044
—. See Scharfstein, Ferreira, Gigli, and Nussenzweig 207
Gillis, Anne E. See Gillis, Gillis, and Smith 18
Gillis, Steven, Gillis, Anne E., and Smith, Kendall A. The detection of a spleen focus-forming virus neoantigen by lymphocyte-mediated cytolysis 18
—. Baker, Paul E., Ruscetti, Francis W., Smith, Kendall A. Long-term culture of human antigen-specific cytotoxic T-cell lines 1093
Glimcher, Laurie. See Burakoff, Finberg, Glimcher, Lemonnier, Benacerraf, and Cantor 1414
Godzik, Cathleen A. See Johnston, Godzik, and Cohn 115
Goldschneider, Irving, Gordon, Lance K., and Morris, Roger J. Demonstration of Thy-1 antigen on pluripotent hemopoietic stem cells in the rat 1351
Goldstein, Gideon. See Weksler, Innes, and Goldstein 996
Goldstein, Ira M., Malmsten, Curt L., Kindahl, Hans, Kaplan, Howard B., Rådmark, Olof, Samuelsson, Bengt, and Weissmann, Gerald. Thromboxane generation by human peripheral blood polymorphonuclear leukocytes 787

GOODMAN, JOEL W. See FONG, NITECKI, COOK, and GOODMAN 817
—. See LEWIS and GOODMAN 915
GORDON, LANCE K. See GOLDSCHNEIDER, GORDON, and MORRIS 1351
GOTTLIEB, A. B. See FU, CHIORAZZI, WANG, MONTAZERI, KUNKEL, KO, and GOTTLIEB 1423
GOWANS, JAMES L. See HUSBAND and GOWANS 1146
GRADY, ROBERT W. See MESHNICK, BLOBSTEIN, GRADY, and CERAMI 569
GRANELLI-PIPERNO, ANGELA, and REICH, E. A study of proteases and protease-inhibitor complexes in biological fluids 223
GREEN, IRA. See GWADZ and GREEN 1311
GRISCELLI, CLAUDE. See GUY-GRAND, GRISCELLI, and VASSALLI 1661
GROSSE-WILDE, H. See NERL, GROSSE-WILDE, and VALET 704
GUENET, J. L. See FELLOUS, GÜNTHER, KEMLER, WIELS, BERGER, GUENET, JAKOB, and JACOB 58
GÜNTHER, E. See FELLOUS, GÜNTHER, KEMLER, WIELS, BERGER, GUENET, JAKOB, and JACOB 58
GUY-GRAND, DELPHINE, GRISCELLI, CLAUDE, and VASSALLI, PIERRE. The mouse gut T lymphocyte, a novel type of T cell. Nature, origin, and traffic in mice in normal and graft-versus-host conditions 1661
GWADZ, ROBERT W., and GREEN, IRA. Malaria immunization in rhesus monkeys: a vaccine effective against both the sexual and asexual stages of *Plasmodium knowlesi* 1311

H

HAAS, GABOR P., JOHNSON, ARTHUR G., NOWOTNY, ALOIS. Suppression of the immune response in C3H/HeJ mice by protein-free lipopolysaccharides 1081
HALL, B. F., See SHER, HALL, and VADAS 46
HALL, B. M., DORSCH, SUSAN, and ROSER, BRUCE. The cellular basis of allograft rejection in vivo. I. The cellular requirements for first-set rejection of heart grafts 878
—. DORSCH, SUSAN, and ROSER, BRUCE. The cellular basis of allograft rejection in vivo. II. The nature of memory cells mediating second set heart graft rejection 890
HALPER, J. P. See FU, CHIORAZZI, KUNKEL, HALPER, and HARRIS 1570
HAMILTON, J. A., RALPH P., and MOORE, M. A. S. A macrophage tumor cell line and plasminogen activator. A potential model system for macrophage regulation of enzyme production 811
HANSEN, TED H. See BIDDISON, HANSEN, LEVY, and DOHERTY 1678
HARRIS, S. R. See FU, CHIORAZZI, KUNKEL, HALPER, and HARRIS 1570
HAYES, COLLEEN E., and BACH, FRITZ H. T-cell-specific murine Ia antigens: serology of I-J and I-E subregion specificities 692
HAYWARD, ANTHONY R., SIMONS, MARGARET A., LAWTON, ALEXANDER R., MAGE, ROSE G., and COOPER, MAX D. Pre-B and B cells in rabbits. Ontogeny and allelic exclusion of kappa light chain genes 1367
HEGHINIAN, KRIKOR M. See CHEUNG, SHERR, HEGHINIAN, BENACERRAF, and DORF 1539
HELLSTRÖM, I. See HELLSTROM, HELLSTROM, KANT, and TAMERIUS 799
HELLSTRÖM, K. E., HELLSTROM, I., KANT, J. A., and TAMERIUS, J. D. Regression and inhibition of sarcoma growth by interference with a radiosensitive T-cell population 799
HENSON, PETER M. See DOE and HENSON 544
—. See DOE, YANG, MORRISON, BETZ, and HENSON 557
HETHERINGTON, COLIN. See SIMPSON, MOBRAATEN, CHANDLER, HETHERINGTON, HURME, BRUNNER, and BAILEY 1478
HOLBROOK, TROY L. See SLAUGHTER, CARSON, JENSEN, HOLBROOK, and VAUGHAN 1429
HUGENBERGER, J. See CANTOR, HUGENBERGER, MCVAY-BOUDREAU, EARDLEY, KEMP, SHEN, and GERSHON 871
HUMPHREYS, ROBERT E. See EVANS, FALDETTA, HUMPHREYS, PRATT, YUNIS, and SCHLOSSMAN 1440
HURME, MIKKO. See SIMPSON, MOBRAATEN, CHANDLER, HETERINGTON, HUME, BRUNNER, and BAILEY 1478
HUSBAND, ALAN J., and GOWANS, JAMES L. The origin and antigen-dependent distribution of IgA-containing cells in the intestine 1146

I

IHLE, JAMES N. See PAZMIÑO, MCEWAN, and IHLE 1338
INNES, JUDITH B. See WEKSLER, INNES, and GOLDSTEIN 996
IRLÉ, C., PIGUET, P-F., and VASSALLI, P. In vitro maturation of immature thymocytes into immunocompetent T cells in the absence of direct thymic influence 32
IVES, HARLAN E., SCHULTZ, GREGORY S., GALARDY, RICHARD E., and JAMIESON, JAMES D. Preparation of functional smooth muscle cells from the rabbit aorta 1400
IZUI, SHOZO. See ANDREWS, EISENBERG, THEOFILOPOULOS, IZUI, WILSON, MCCONAHEY, MURPHY, ROTHS, and DIXON 1198

J

JACOB, F. See FELLOUS, GÜNTHER, KEMLER, WIELS, BERGER, GUENET, JAKOB, and JACOB 58
JACOBSON, E. B. Adoptive transfer of allotype-specific suppressor cells inhibits thymus-independent immunoglobulin production in syngeneic athymic mice 607
JAKOB, H. See FELLOUS, GÜNTHER, KEMLER, WIELS, BERGER, GUENET, JAKOB, and JACOB 58
JAMIESON, JAMES D. See IVES, SCHULTZ, GALARDY, and JAMIESON 1400
JANDINSKI, J. See STANTON, CALKINS, JANDINSKI, SCHENDEL, STUTMAN, CANTOR, and BOYSE 963

JENSEN, FRED C. See SLAUGHTER, CARSON, JENSEN, HOLBROOK, and VAUGHN 1429
JOHNSON, ARTHUR G. See HAAS, JOHNSON, and NOWOTNY 1081
JOHNSON, G. R. See LALA and JOHNSON 1468
JOHNSON, ROBERT J. See PASTERNACK, SNYDERMAN, PIKE, JOHNSON, and SHIN 93
JOHNSTON, RICHARD B., JR., GODZIK, CATHLEEN A., and COHN, ZANVIL A. Increased superoxide anion production by immunologically activated and chemically elicited macrophages 115
JONES, PATRICIA P., MURPHY, DONAL, B., and MCDEVITT, HUGH O. Two-gene control of the expression of a murine Ia antigen 925

K

KAARTINEN, M. See MÄKELÄ, KAARTINEN, PELKONEN, and KARJALAINEN 1644
KANT, J. A. See HELLSTRÖM, HELLSTROM, KANT, and TAMERIUS 799
KAPLAN, DAVID R., and QUINTÁNS, JOSÉ. Alteration of clonal profile. I. Effect of sublethal irradiation on the responses to phosphorylcholine in BALB/c mice 987
KAPLAN, HOWARD B. See GOLDSTEIN, MALMSTEN, KINDAHL, KAPLAN, RÅDMARK, SAMUELSSON, and WEISSMANN 787
KAPLAN, H. S. See RICCIARDI-CASTAGNOLI, LIBERMAN, FINN, and KAPLAN 1292
KAPP, JUDITH A. See PIERCE and KAPP 1271, 1282
KAPPLER, JOHN W. and MARRACK, PHILIPPA. The role of *H-2* linked genes in helper T-cell function. IV. Importance of T-cell genotype and host environment in *I*-region and *Ir* gene expression 1510
KARJALAINEN, K. See MÄKELÄ, KAARTINEN, PELKONEN and KARJALAINEN 1644
KARNOVSKY, MANFRED L. See LADZINS, KÜHNER, DAVID, and KARNOVSKY 746
KAROL, ROBIN, REICHLIN, MORRIS, and NOBLE, ROBERT W. Idiotypic cross-reactivity between antibodies of different specificities 1488
KATSURA, YOSHIMOTO. See MINATO and KATSURA 837, 850
KATZ, DAVID H., SKIDMORE, BARRY J., KATZ, LEE R., and BOGOWITZ, CHERYL A. Adaptive differentiation of murine lymphocytes. I. Both T and B lymphocytes differentiating in $F_1 \rightarrow$ parental chimeras manifest preferential cooperative activity for partner lymphocytes derived from the same parental type corresponding to the chimeric host 727
KATZ, LEE R. See KATZ, SKIDMORE, KATZ, and BOGOWITZ 727
KEES, URSULA, MÜLLBACHER, A., and BLANDEN, R. V. Specific adsorption of H-2-restricted cytotoxic T cells to macrophage monolayers 1711
KEMLER, R. See FELLOUS, GÜNTHER, KEMLER, WIELS, BERGER, GUENET, JAKOB, and JACOB 58
KEMP, J. See CANTOR, HUGENBERGER, MCVAY-BOUDREAU, EARDLEY, KEMP, SHEN, and GERSHON 871
KINDAHL, HANS. See GOLDSTEIN, MALMSTEN, KINDAHL, KAPLAN, RÅDMARK, SAMUELSSON, and WEISSMANN 787
KINDT, THOMAS J. See YARMUSH and KINDT 522
KIRSTEIN, DAVID P. See BERENDT, NORTH, and KIRSTEIN 1550, 1560
KLEBANOFF, SEYMOUR J., and ROSEN, HENRY. Ethylene formation by poymorphonuclear leukocytes. Role of myeloperoxidase 490
KLEIN J. See ZINKERNAGEL, ALTHAGE, COOPER, CALLAHAN, and KLEIN 805
—. See ZINKERNAGEL, ALTHAGE, COOPER, KREEB, KLEIN, SEFTON, FLAHERTY, STIMPFLING, SHREFFLER, and KLEIN 592
KLEIN, P. A. See ZINKERNAGEL, ALTHAGE, COOPER, KREEB, KLEIN, SEFTON, FLAHERTY, STIMPFLING, SHREFFLER, and KLEIN 592
KLINMAN, NORMAN R. See PIERCE, CANCRO, and KLINMAN 759
KNOWLES, BARBARA B. See DOHERTY, BIDDISON, BENNINK, and KNOWLES 534
KO, H. S. See FU, CHIORAZZI, WANG, MONTAZERI, KUNKEL, KO, and GOTTLIEB 1423
KOOK, ABRAHAM I. See YAKIR, KOOK, and TRAININ 71
KORNGOLD, R., and SPRENT, J. Lethal graft-versus-host disease after bone marrow transplantation across minor histocompatibility barriers in mice. Prevention by removing mature T cells from marrow 1687
KOZAK, CHRISTINE. See RUDDLE, CONTA, LEINWAND, KOZAK, RUDDLE, BESMER, and BALTIMORE 451
KREEB, G. See ZINKERNAGEL, ALTHAGE, COOPER, KREEB, KLEIN, SEFTON, FLAHERTY, STIMPFLING, SHREFFLER, and KLEIN 592
KÜHNER, ALICE L. See LAZDINS, KÜHNER, DAVID, and KARNOVSKY 746
KUNKEL, H. G. See WINCHESTER, MEYERS, BROXMEYER, WANG, MOORE, and KUNKEL 613
—. See FU, CHIORAZZI, KUNKEL, HALPER, and HARRIS 1570
—. See FU, CHIORAZZI, WANG, MONTAZERI, KUNKEL, KO, and GOTTLIEB 1423
—. See GIBOFSKY, WINCHESTER, PATARROYO, FOTINO, and KUNKEL 1728
KUSHNER, IRVING, and FELDMANN, GERARD. Control of the acute phase response. Demonstration of C-reactive protein synthesis and secretion by hepatocytes during acute inflammation in the rabbit 466

L

LAGRANGE, P. H., and MACKANESS, G. B. Site of action of serum factors that block delayed-type hypersensitivity in mice 235
LALA, P. K., and JOHNSON, G. R. Monoclonal origin of B lymphocyte colony-forming cells in spleen colonies formed by multipotential hemopoietic stem cells 1468
LAVIE, G., ZUCKER-FRANKLIN, D., and FRANKLIN, E. C. Degradation of serum amyloid A protein by surface-associated enzymes of human blood monocytes 1020
LAW, LLOYD W. See ALABA and LAW 1435

LAWTON, ALEXANDER R. See HAYWARD, SIMONS, LAWTON, MAGE, and COOPER. 1367
LAZDINS, JANIS K., KÜHNER, ALICE L., DAVID, JOHN R., and KARNOVSKY, MANFRED L. Alteration of some functional and metabolic characteristics of resident mouse peritoneal macrophages by lymphocyte mediators 746
LEINWAND, LESLIE. See RUDDLE, CONTA, LEINWAND, KOZAK, RUDDLE, BESMER, and BALTIMORE 451
LEMONNIER, FRANCOIS. See BURAKOFF, FINBERG, GLIMCHER, LEMONNIER, BENACERRAF, and CANTOR 1414
LESAVRE, PHILIPPE H., and MÜLLER-EBERHARD, HANS J. Mechanism of action of factor D of the alternative complement pathway 1498
LEVY, ROBERT B. See BIDDISON, HANSEN, LEVY, and DOHERTY 1678
LEWIS, GEORGE K., and GOODMAN, JOEL W. Purification of functional, determinant-specific, idiotype-bearing murine T cells 915
LIEBERMAN, M. See RICCIARDI-CASTAGNOLI, LIEBERMAN, FINN, and KAPLAN 1292
LIN, TSAU-YEN. See BONNEY, GERY, LIN, MEYENHOFER, ACEVEDO, and DAVIES 261
LINEMEYER, DAVID. See RUSCETTI, LINEMEYER, FEILD, TROXLER, and SCOLNICK 654
—. See TROXLER, YUAN, LINEMEYER, RUSCETTI, and Scolnick 639
LITRENTA, M. M. See FABRICANT, FABRICANT, LITRENTA, and MINICK 335
LOKE, Y. W. See WHYTE and LOKE 1087
LORBACH, INGRID. See ROWLEY, MILLER, and LORBACH 148
LOWELL, GEORGE H. See FISCHER, LOWELL, CRUMRINE, and BASS 776
LUCAS, C. J., UBELS-POSTMA, JOSÉ C., REZEE, ANNA, and GALAMA, J. M. D. Activation of measles virus from silently infected human lymphocytes 940

M

MACKANESS, G. B. See LAGRANGE and MACKANESS 235
MAGE, ROSE G. See HAYWARD, SIMONS, LAWTON, MAGE, and COOPER 1367
MÄKELÄ, O., KAARTINEN, M., PELKONEN, J. L. T., and KARJALAINEN, K. Inheritance of antibody specificity V. Anti-2-phenyloxazolone in the mouse 1644
MALMSTEN, CURT L. See GOLDSTEIN, MALMSTEN, KINDAHL, KAPLAN, RÅDMARK, SAMUELSSON, and WEISSMANN 787
MARBROOK, J., NAWA, Y., MILLER, J. F. A. P. The frequency of clones of cytotoxic lymphocytes generated by H-2 antigens 324
MARRACK, PHILIPPA. See KAPPLER and MARRACK 1510
MARTÍNEZ-PALOMO, ADOLFO. See TRISSL, MARTÍNEZ-PALOMO, DE LA TORRE, DE LA HOZ, and DE SUÁREZ 1137
MASON, D. W. See WHITE, MASON, WILLIAMS, GALFRE, and MILSTEIN 664
MASSON, P. L. See VAN SNICK and MASSON 903
MATHIESON, B. J. See BOTTOMLY, MATHIESON, and MOISER 1216
MATZINGER, POLLY, and MIRKWOOD, GALADRIEL. In a fully H-2 incompatible chimera, T cells of donor origin can respond to minor histocompatibility antigens in association with either donor or host H-2 type 84
MAUEL, JACQUES, BUCHMÜLLER, YOLANDE, and BEHIN, REZA. Studies on the mechanisms of macrophage activation. I. Destruction of intracellular *leishmania enriettii* in macrophages activated by cocultivation with stimulated lymphocytes 393
MAYER, PETER. See BLOCK, GEORGOPOULOS, MAYER, and DREWS 1228
MCCLUSKY, ROBERT T. See BHAN, SCHNEEBERGER, COLLINS, and MCCLUSKY 246
MCCONAHEY, PATRICIA J. See ANDREWS, EISENBERG, THEOFILOPOULOS, IZUI, WILSON, MCCONAHEY, MURPHY, ROTHS, and DIXON 1198
MCDEVITT, HUGH O. See JONES, MURPHY, and MCDEVITT 925
MCEWAN, ROBERT. See PAZMIÑO, MCEWAN, and IHLE 1338
MCMICHAEL, ANDREW. HLA restriction of human cytotoxic T lymphocytes specific for influenza virus. Poor recognition of virus associated with HLA A2 1458
MCVAY-BOUDREAU, L. See CANTOR, HUGENBERGER, MCVAY-BOUDREAU, EARDLEY, KEMP, SHEN, and GERSHON 871
MEHTA, PANKAJ D. See THORMAR, MEHTA, and BROWN 674
MESCHER, MATTHEW. See FINBERG, MESCHER, and BURAKOFF 1620
MESHNICK, STEVEN R., BLOBSTEIN, STEVEN H., GRADY, ROBERT W., and CERAMI, ANTHONY. An approach to the development of new drugs for African trypanosomiasis 569
MEYENHOFER, MARKUS F. See BONNEY, GERY, LIN, MEYENHOFER, ACEVEDO, and DAVIS 261
MEYERS, PAUL A. See BROXMEYER, SMITHYMAN, EGER, MEYERS, and DE SOUSA 1052
—. See WINCHESTER, MEYERS, BROXMEYER, WANG, MOORE, and KUNKEL 613
MILLER, GARY W. See ROWLEY, MILLER, and LORBACH 148
MILLER, J. F. A. P. See MARBROOK, NAWA, and MILLER 324
—. See TANIGUCHI and MILLER 373
MILLER, R. G. See BONA, YANO, DIMITRIU, and MILLER 136
MILLER, S. C. See YANG, MILLER, and OSMOND 1251
MILSTEIN, C. See WHITE, MASON, WILLIAMS, GALFRE, and MILSTEIN 664
MINATO, NAGAHIRO, and KATSURA, YOSHIMOTO. Virus-replicating T cells in the immune response of mice. II. Characterization of T cells capable of replicating vesicular stomatitis virus 837
—. and —. Virus-replicating T cells in the immune response of mice. III. Role of vesicular stomatitis virus-replicating T cells in the antibody response 850
MINICK, C. R. See FABRICANT, FABRICANT, LITRENTA, and MINICK 335

MIRKWOOD, GALADRIEL. See MATZINGER and MIRKWOOD 84
MOBRAATEN, LARRY. See SIMPSON, MOBRAATEN, CHANDLER, HETHERINGTON, HURME, BRUNNER, and BAILEY 1478
MONTAZERI, G. See FU, CHIORAZZI, WANG, MONTAZERI, KUNKEL, KO, and GOTTLIEB 1423
MOORE, M. A. S. See HAMILTON, RALPH, and MOORE 811
—. See WINCHESTER, MEYERS, BROXMEYER, WANG, MOORE, and KUNKEL 613
MORRIS, KATHERINE M., COLTEN, HARVEY R., and BING, DAVID H. The first component of complement. A quantitative comparison of its biosynthesis in culture by human epithelial and mesenchymal cells 1007
MORRIS, ROGER J. See GOLDSCHNEIDER, GORDON, and MORRIS 1351
MORRISON, DAVID C. See DOE, YANG, MORRISON, BETZ, and HENSON 557
MOSIER, DONALD E. See BOTTOMLY, MATHIESON, and MOSIER 1216
—. See SIECKMANN, SCHER, ASOFSKY, MOISER, and PAUL 1628
MUDAWWAR, FUAD B., YUNIS, EDMOND J., and GEHA, RAIF S. Antigen-specific helper factor in man 1032
MÜLLBACHER, A. See KEES, MÜLLBACHER, and BLANDEN 1711
MÜLLER-EBERHARD HANS J. See LESAVRE and MÜLLER-EBERHARD 1498
—. See SCHREIBER and MÜLLER-EBERHARD 1172
MURGITA, ROBERT A. See PECK, MURGITA, and WIGZELL 360
MURPHY, DONAL B. See JONES, MURPHY, and MCDEVITT 925
MURPHY, EDWIN D. See ANDREWS, EISENBERG, THEOFILOPOULOS, IZUI, WILSON, MCCONAHEY, MURPHY, ROTHS, and DIXON 1198
MUSSGAY, M. See WEILAND, MUSSGAY, and WEILAND 408

N

NAWA, Y. See MARBROOK, NAWA, and MILLER 324
NERL, CH., GROSSE-WILDE, H., and VALET, G. Association of low C2 and C4 serum levels with the HLA-DW2 allele in healthy individuals 704
NISONOFF, ALFRED. See OWEN and NISONOFF 182
NITECKI, DANUTE E. See FONG, NITECKI, COOK, and GOODMAN 817
NOBLE, ROBERT W. See KAROL, REICHLIN, and NOBLE 1488
NOGUEIRA, NADIA, and COHN, ZANVIL A. *Trypanosoma cruzi:* in vitro induction of macrophage microbicidal activity 288
NORTH, ROBERT J. See BERENDT, NORTH, and KIRSTEIN 1550, 1560
NOSSAL, G. J. V., and PIKE, BEVERLY L. Mechanisms of clonal abortion tolerogenesis. I. Response of immature hapten-specific B lymphocytes 1161
NOTKINS, ABNER LOUIS. See YOON, ONODERA, and NOTKINS 1068
NOWOTNY, ALOIS. See HAAS, JOHNSON, and NOWOTNY 1081
NUSSENZWEIG, VICTOR. See FERREIRA, NUSSENZWEIG, and GIGLI 1186
—. See FUJITA, GIGLI, and NUSSENZWEIG 1044
—. See SCHARFSTEIN, FERREIRA, GIGLI, and NUSSENZWEIG 207

O

OBATA, YUICHI, STOCKERT, ELISABETH, YAMAGUCHI, MASASHI, and BOYSE, EDWARD A. Source and hormone-dependence of G$_{IX}$-gp70 in mouse serum 793
ONODERA, TAKASHI. See YOON, ONODERA, and NOTKINS 1068
OSMOND, D. G. See YANG, MILLER, and OSMOND. 1251
OWEN, FRANCES L., and NISONOFF, ALFRED. Effect of idiotype-specific suppressor T cells on primary and secondary responses 182

P

PARKS, D. ELLIOT, DOYLE, MICHAEL V., and WEIGLE, WILLIAM O. Induction and mode of action of suppressor cells generated against human gamma globulin. I. An immunologic unresponsive state devoid of demonstrable suppressor cells 625
PASTERNACK, GARY R., SNYDERMAN, RALPH, PIKE, MARILYN C., JOHNSON, ROBERT J., and SHIN, HYUN S. Resistance of neoplasms to immunological destruction: role of a macrophage chemotaxis inhibitor 93
PATARROYO, M. See GIBOFSKY, WINCHESTER, PATARROYO, FOTINO, and KUNKEL 1728
PATERSON, PHILIP Y. See FUJINAMI, PATERSON, DAY, and VARITEK 1716
PAUL, WILLIAM E. See SIECKMANN, SCHER, ASOFSKY, MOSIER, and PAUL 1628
PAZMIÑO, NELSON H., MCEWAN, ROBERT, and IHLE, JAMES N. Radiation leukemia in C57BL/6 mice. III. Correlation of altered expression of terminal deoxynucleotidyl transferase to induction of leukemia . 1338
PECK, AMMON B., MURGITA, ROBERT A., and WIGZELL, HANS. Cellular and genetic restrictions in the immunoregulatory activity of alpha-fetoprotein. II. Alpha-fetoprotein-induced suppression of cytotoxic T lymphocyte development 360
PELKONEN, J. L. T. See MÄKELÄ, KAARTINEN, PELKONEN, and KARJALAINEN 1644
PIERCE, CARL W., and KAPP, JUDITH A. Antigen-specific suppressor T-cell activity in genetically restricted immune spleen cells 1271
—. Suppressor T-cell activity in responder × nonresponder (C57BL/10 × DBA/1)F$_1$ spleen cells responsive to L-glutamic acid^{60}-L-alanine^{30}-L-tyrosine^{10} 1282
PIERCE, NATHANIEL F. The role of antigen form and function in the primary and secondary intestinal immune responses to cholera toxin and toxoid in rats 195

PIERCE, SUSAN K., CANCRO, MICHAEL P., and KLINMAN, NORMAN R. Individual antigen-specific T lymphocytes: helper function in enabling the expression of multiple antibody isotypes 759
PIGUET, P-F. See IRLÉ, PIGUET, and VASSALLI 32
PIKE, BEVERLY L. See NOSSAL and PIKE 1161
PIKE, MARILYN C. See PASTERNACK, SNYDERMAN, PIKE, JOHNSON, and SHIN 93
PILARSKI, LINDA M. See BAUM and PILARSKI 1579
POTTER, MICHAEL. See RISSER, POTTER, and ROWE 714
PRATT, DIANE M. See EVANS, FALDETTA, HUMPHREYS, PRATT, YUNIS, and SCHLOSSMAN 1440
PRENDERGAST, ROBERT A. See FRANKLIN, PRENDERGAST, and SILVERSTEIN 1705
PRESSMAN, DAVID. See TOSI, TANIGAKI, CENTIS, FERRARA, and PRESSMAN 1592
PTAK, WLODZIMIERZ, ZEMBALA, MAREK, and GERSHON, RICHARD K. Intermediary role of macrophages in the passage of suppressor signals between T-cell subsets 424

Q

QUINTÁNS, JOSÉ. See KAPLAN and QUINTANS 987

R

RÅDMARK, OLOF. See GOLDSTEIN, MALMSTEN, KINDAHL, KAPLAN, RÅDMARK, SAMUELSSON, and WEISSMANN 787
RALPH, P. See HAMILTON, RALPH, and MOORE 811
REICH, E. See GRANELLI-PIPERNO and REICH 223
REICHLIN, MORRIS. See KAROL, REICHLIN, and NOBLE 1488
REINISCH, CAROL L., and ANDREW, SUSAN L. Regulation of cytotoxic T-cell reactivity to syngeneic tumors by the thymus 619
REMOLD-O'DONNELL, EILEEN. Protein kinase activity associated with the surface of guinea pig macrophages 1099
REZEE, ANNA. See LUCAS, UBELS-POSTMA, REZEE, and GALAMA 940
RICCIARDI-CASTAGNOLI, P., LIEBERMAN, M., FINN, O., and KAPLAN, H. S. T-cell lymphoma induction by radiation leukemia virus in athymic nude mice 1292
RIPOCHE, MARIE-ANNE. See BERNARD, SCHEID, RIPOCHE, and BENNETT 580
RISSER, REX, POTTER, MICHAEL, and ROWE, WALLACE P. Abelson virus-induced lymphomagenesis in mice 714
RÖLLINGHOFF, MARTIN. See WAGNER and RÖLLINGHOFF 1523
ROSEN, FRED S. See SCHWABER and ROSEN 974
ROSEN, HENRY. See KLEBANOFF and ROSEN 490
ROSER, BRUCE. See HALL, DORSCH, and ROSER 878, 890
ROTHS, JOHN B. See ANDREWS, EISENBERG, THEOFILOPOULOS, IZUI, WILSON, MCCONAHEY, MURPHY, ROTHS, and DIXON 1198
ROWE, WALLACE P. See RISSER, POTTER, and ROWE. 714
ROWLEY, DONALD A., MILLER, GARY W., and LORBACH, INGRID. Simultaneous complementary idiotypic responses: absence of reciprocal regulation 148
RUDDLE, FRANK. See RUDDLE, CONTA, LEINWAND, KOZAK, RUDDLE, BESMER, and BALTIMORE. 451
RUDDLE, NANCY H., CONTA, BARBARA S., LEINWAND, LESLIE, KOZAK, CHRISTINE, RUDDLE, FRANK, BESMER, PETER, and BALTIMORE, DAVID. Assignment of the receptor for ecotropic murine leukemia virus to mouse chromosome 5 451
RUSCETTI, FRANCIS W. See GILLIS, BAKER, RUSCETTI, and SMITH 1093
RUSCETTI, SANDRA, LINEMEYER, DAVID, FEILD, JOHN, TROXLER, DAVID, and SCOLNICK, EDWARD. Type-specific radioimmunoassays for the gp70s of mink cell focus-inducing murine leukemia viruses: expression of a cross-reacting antigen in cells infected with the Friend strain of the spleen focus-forming virus 654
—. See TROXLER, YUAN, LINEMEYER, RUSCETTI, and SCOLNICK 639

S

SAMUELSSON, BENGT. See GOLDSTEIN, MALMSTEN, KINDAHL, KAPLAN, RÅDMARK, SAMUELSSON, and WEISSMANN 787
SCHARFSTEIN, JULIO, FERREIRA, ARTURO, GIGLI, IRMA, and NUSSENZWEIG, VICTOR. Human C4-binding protein. I. Isolation and characterization 207
SCHEID, MARGRIT P. See BERNARD, SCHEID, RIPOCHE, and BENNETT 580
SCHENDEL, D. J. See STANTON, CALKINS, JANDINSKI, SCHENDEL, STUTMAN, CANTOR, and BOYSE 963
SCHER, IRWIN. See SIECKMANN, SCHER, ASOFSKY, MOSIER, and PAUL 1628
SCHLOSSMAN, STUART F. See EVANS, FALDETTA, HUMPHREYS, PRATT, YUNIS, and SCHLOSSMAN 1440
SCHNEEBERGER, EVELINE E. See BHAN, SCHNEEBERGER, COLLINS, and MCCLUSKY 246
SCHNYDER, JÖRG, and BAGGIOLINI, MARCO. Secretion of lysosomal hydrolases by stimulated and non-stimulated macrophages 435
— and —. Role of phagocytosis in the activation of macrophages 1449
SCHRADER, JOHN W., and SCHRADER, SABARIAH. In vitro studies on lymphocyte differentiation. I. Long term in vitro culture of cells giving rise to functional lymphocytes in irradiated mice 823
SCHRADER, SABARIAH. See SCHRADER and SCHRADER 823
SCHREIBER, ROBERT D. and MÜLLER-EBERHARD, HANS J. Assembly of the cytolytic alternative pathway of complement from 11 isolated plasma proteins 1722
SCHREIER, MAX H. B-cell precursors specific to sheep erythrocytes. Estimation of frequency in a specific helper assay 1612
SCHULTZ, GREGORY S. See IVES, SCHULTZ, GALARDY, and JAMIESON 1400
SCHWABER, JERROLD F., and ROSEN, FRED S. Induction of human immunoglobulin synthesis and secretion in somatic cell hybrids of mouse myeloma and human B lymphocytes from patients

with agammaglobulinemia 974
SCHWARTZ, ROBERT S. See DATTA and SCHWARTZ 329
SCOLNICK, EDWARD M. See RUSCETTI, LINEMEYER, FEILD, TROXLER, and SCOLNICK 654
—. See TROXLER, YUAN, LINEMEYER, RUSCETTI, and SCOLNICK 639
SEFTON, B. See ZINKERNAGEL, ALTHAGE, COOPER, KREEB, KLEIN, SEFTON, FLAHERTY, STIMPFLING, SHREFFLER, and KLEIN 592
SHEN, F. W. See CANTOR, HUGENBERGER, MCVAY-BOUDREAU, EARDLEY, KEMP, SHEN, and GERSHON 871
SHER, A., HALL, B. F., and VADAS, M. A. Acquisition of murine major histocompatibility complex gene products by schistosomula of *Schistosoma mansoni* 46
SHERR, DAVID H. See CHEUNG, SHERR, HEGHINIAN, BENACERRAF, and DORF 1539
SHEVACH, ETHAN M. See YAMASHITA and SHEVACH 1171
SHIMIZU, KAZUFUMI. See SUGAMURA, SHIMIZU, and BACH 276
SHIN, HYUN S. See PASTERNACK, SNYDERMAN, PIKE, JOHNSON, and SHIN 93
SHREFFLER, D. See ZINKERNAGEL, ALTHAGE, COOPER, KREEB, KLEIN, SEFTON, FLAHERTY, STIMPFLING, SHREFFLER, and KLEIN 592
SIEBERT, GARY R. See SONENSHEIN, SIEKEVITZ, SIEBERT, and GEFTER 301
SIECKMANN, DONNA G., SCHER, IRWIN, ASOFSKY, RICHARD, MOSIER, DONALD E., and PAUL, WILLIAM E. Activation of mouse lymphocytes by anti-immunoglobulin. II. A thymus-independent response by a mature subset of B lymphocytes 1628
SIEKEVITZ, MIRIAM. See SONENSHEIN, SIEKEVITZ, SIEBERT, and GEFTER 301
SILVERSTEIN, ARTHUR M. See FRANKLIN, PRENDERGAST, and SILVERSTEIN 1705
SIMONS, MARGARET A. See HAYWARD, SIMONS, LAWTON, MAGE, and COOPER 1367
SIMPSON, ELIZABETH, MOBRAATEN, LARRY, CHANDLER, PHILLIP, HETHERINGTON, COLIN, HURME, MIKKO, BRUNNER, CAROLYN, and BAILEY, DON. Cross-reactive cytotoxic responses. H-2 restricted are more specific than anti-H-2 responses 1478
SKIDMORE, BARRY J. See KATZ, SKIDMORE, KATZ, and BOGOWITZ 727
SLAUGHTER, LAURA, CARSON, DENNIS A., JENSEN, FRED C., HOLBROOK, TROY L., AND VAUGHAN, JOHN H. In vitro effects of Epstein-Barr virus on peripheral blood mononuclear cells from patients with rheumatid arthritis and normal subjects 1429
SMITH, KENDALL A. See GILLIS, BAKER, RUSCETTI, and SMITH 1093
—. See GILLIS, GILLIS, and SMITH 18
SMITHYMAN, ANTHONY. See BROXMEYER, SMITHYMAN, EGER, MEYERS, and DE SOUSA 1052
SNYDERMAN, RALPH. See PASTERNACK, SYNDERMAN, PIKE, JOHNSON, and SHIN 93
SONENSHEIN, GAIL E., SIEKEVITZ, MIRIAM, SIEBERT, GARY R., and GEFTER, MALCOLM L. Control of immunoglobulin secretion in the murine plasmacytoma line MOPC 315 301
SOPORI, MOHAN, BERNSTEIN, ALON, and BACH, FRITZ H. In vitro sensitization of thymocytes. Role of H-2 I region determinants and cell-free mixed leukocyte culture supernates in generation of cytotoxic responses 953
SPRENT, J. Role of the H-2 complex in induction of T helper cells in vivo. I. Antigen-specific selection of donor T cells to sheep erythrocytes in irradiated mice dependent upon sharing of *H-2* determinants between donor and host 478
—. See KORNGOLD and SPRENT 1687
STANTON, T. H., CALKINS, C. E., JANDINSKI, J., SCHENDEL, D. J., STUTMAN, O., CANTOR, H., and BOYSE, E. A. The Qa-1 antigenic system. Relation of Qa-1 phenotypes to lymphocyte sets, mitogen responses, and immune functions 963
STIMPFLING, JACK H. See ZINKERNAGEL, ALTHAGE, COOPER, KREEB, KLEIN, SEFTON, FLAHERTY, STIMPFLING, SHREFFLER, and KLEIN 592
STOCKERT, ELISABETH. See OBATA, STOCKERT, YAMAGUCHI, and BOYSE 793
STUTMAN, O. See STANTON, CALKINS, JANDINSKI, SCHENDEL, STUTMAN, CANTOR, and BOYSE 963
SUGAMURA, KAZUO, SHIMIZU, KAZUFUMI, and BACH, FRITZ H. Involvement of fusion activity of ultraviolet light-inactivated Sendai virus in formation of target antigens recognized by cytotoxic T cells 276

T

TAI, JOSEPH Y. See ELLIOT and TAI 1699
TAMERIUS, J. D. See HELLSTRÖM, HELLSTRÖM, KANT, and TAMERIUS 799
TANIGAKI, NOBUYUKI. See TOSI, TANIGAKI, CENTIS, FERRARA, and PRESSMAN 1592
TANIGUCHI, MASARU, and MILLER, J. F. A. P. Specific suppressive factors produced by hybridomas derived from the fusion of enriched suppressor T cells and a T lymphoma cell line 373
THEOFILOPOULOS, ARGYRIOS, N. See ANDREWS, EISENBERG, THEOFILOPOULOS, IZUI, WILSON, MCCONAHEY, MURPHY, ROTHS, and DIXON 1198
THORMAR, HALLDOR, MEHTA, PANKAJ D., and BROWN, HANNAH R. Comparison of wild-type and subacute sclerosing panencephalitis strains of measles virus. Neurovirulence in ferrets and biological properties in cell cultures 674
TOSI, ROBERTO, TANIGAKI, NOBUYUKI, CENTIS, DORA, FERRARA, GIOVANNI BATTISTA, and PRESSMAN, DAVID. Immunological dissection of human Ia molecules 1592
TRAININ, NATHAN. See YAKIR, KOOK, and TRAININ 71
TRISSL, DOROTHEA, MARTÍNEZ-PALOMO, ADOLFO, DE LA TORRE, MARGARITA, DE LA HOZ, RAFAEL, and DE SUÁREZ, EVA PÉREZ. Surface properties of *entamoeba*: increased rates of human erythrocyte phagocytosis in patohogenic strains 1137
TROWBRIDGE, IAN S. Interspecies spleen-myeloma

hybrid producing monoclonal antibodies against mouse lymphocyte surface glycoprotein, T200 313

TROXLER, DAVID H., YUAN, ELINOR, LINEMEYER, DAVID, RUSCETTI, SANDRA, and SCOLNICK, EDWARD M. Helper-independent mink cell focus-inducing strains of Friend murine type-C virus: potential relationship to the origin of replication-defective spleen focus-forming virus 639

—. See RUSCETTI, LINEMEYER, FEILD, TROXLER, and SCOLNICK 654

U

UBELS-POSTMA, JOSÉ C. See LUCAS, UBELS-POSTMA, REZEE, and GALAMA 940

V

VADAS, M. A. See SHER, HALL, and VADAS 46

VALET, G. See NERL, GROSSE-WILDE, and VALET 704

VAN FURTH, RALPH. See CROFTON, DIESSELHOFF-DEN DULK, and VAN FURTH 1

VAN SNICK, J. L., and MASSON, P. L. The effect of complement on the ingestion of soluble antigen-antibody complexes and IgM aggregates by mouse peritoneal macrophages 903

VARITEK, VINCENT A. See FUJINAMI, PATERSON, DAY, and VARITEK 1716

VASSALLI, PIERRE. See GUY-GRAND, GRISCELLI, and VASSALLI 1661

—. See IRLÉ, PIGUET, and VASSALLI 32

VAUGHAN, JOHN H. See SLAUGHTER, CARSON, JENSEN, HOLBROOK, and VAUGHAN 1429

W

WAGNER, HERMANN, and RÖLLINGHOFF, MARTIN. T-T-cell interactions during in vitro cytotoxic allograft responses. I. Soluble products from activated $Ly1^+$ T cells trigger autonomously antigen-primed $Ly23^+$ T cells to cell proliferation and cytolytic activity 1523

WANG, C. Y. See FU, CHIORAZZI, WANG, MONTAZERI, KUNKEL, KO, and GOTTLIEB 1423

—. See WINCHESTER, MEYERS, BROXMEYER, WANG, MOORE, and KUNKEL 613

WEBSTER, R. G. See GERHARD and WEBSTER 383

WEIGLE, WILLIAM O. See PARKS, DOYLE, and WEIGLE 625

WEILAND, E., MUSSGAY, M., and WEILAND, F. Non-producer malignant tumor cells with rescuable sarcoma virus genome isolated from a recurrent moloney sarcoma 408

WEILAND, F. See WEILAND, MUSSGAY, and WEILAND 408

WEISSMANN, GERALD. See GOLDSTEIN, MALMSTEN, KINDAHL, KAPLAN, RÅDMARK, SAMUELSSON, and WEISSMANN 787

WEKSLER, MARC E., INNES, JUDITH B., and GOLDSTEIN, GIDEON. Immunological studies of aging. IV. The contribution of thymic involution to the immune deficiences of aging mice and reversal with thymopoietin$_{32-36}$ 996

WELLS, MARTHA A. See ENNIS, WELLS, BUTCHKO, and ALBRECHT 1241

WELSH, RAYMOND M., JR. Cytotoxic cells induced during lymphocytic choriomeningitis virus infection of mice. I. Characterization of natural killer cell induction 163

WHITE, R. A. H., MASON, D. W., WILLIAMS, A. F., GALFRE, G., and MILSTEIN, C. T-lymphocyte heterogeneity in the rat: separation of functional subpopulations using a monoclonal antibody 664

WHYTE, A., LOKE, Y. W. Increased sialylation of surface glycopeptides of human trophoblast compared with fetal cells from the same conceptus 1087

WIELS, J. See FELLOUS, GÜNTHER, KEMLER, WIELS, BERGER, GUENET, JAKOB, and JACOB 58

WIGZELL, HANS. See PECK, MURGITA, and WIGZELL 360

WILLIAMS, A. F. See WHITE, MASON, WILLIAMS, GALFRE, and MILSTEIN 664

WILSON, CURTIS B. See ANDREWS, EISENBERG, THEOFILOPOULOS, IZUI, WILSON, MCCONAHEY, MURPHY, ROTHS, and DIXON 1198

WILSON, DARCY B. See BELLGRAU and WILSON 103

WINCHESTER, R. J., MEYERS, P. A., BROXMEYER, H. E., WANG, C. Y., MOORE, M. A. S., and KUNKEL, H. G. Inhibition of human erythropoietic colony formation in culture by treatment with Ia antisera 613

—. See GIBOFSKY, WINCHESTER, PATARROYO, FOTINO, and KUNKEL 1728

Y

YAKIR, YESHAYAHU, KOOK, ABRAHAM, I., and TRAININ, NATHAN. Enrichment of in vitro and in vivo immunologic activity of purified fractions of calf thymic hormone 71

YAMAGUCHI, MASASHI. See OBATA, STOCKERT, YAMAGUCHI, and BOYSE 793

YAMASHITA, UKI, and SHEVACH, ETHAN M. The histocompatibility restrictions on macrophage T-helper cell interaction determine the histocompatibility restrictions on T-helper cell B-cell interaction 1171

YANG, SOU TUNG. See DOE, YANG, MORRISON, BETZ, and HENSON 557

YANG, W. C., MILLER, S. C., and OSMOND, D. G. Maturation of bone marrow lymphocytes. II. Development of Fc and complement receptors and surface immunoglobulin studied by rosetting and radioautography 1251

YANO, AKIHIKO. See BONA, YANO, DIMITRIU, and MILLER 136

YARMUSH, MARTIN L., and KINDT, THOMAS J. Isolation and characterization of IgG molecules expressing latent group b allotypes from pedigreed b^4b^4 rabbits 522

YOON, JI-WON, ONODERA, TAKASHI, and NOTKINS, ABNER LOUIS. Virus-induced diabetes mellitus. XV. Beta cell damage and insulin-dependent hyperglycemia in mice infected with Coxsackie virus B4 1068

YUAN, ELINOR. See TROXLER, YUAN, LINEMEYER, RUSCETTI, and SCOLNICK 639
YUNIS, EDMOND J. See EVANS, FALDETTA, HUMPHREYS, PRATT, YUNIS, and SCHLOSSMAN 1440
—. See MUDAWWAR, YUNIS, AND GEHA 1032

Z

ZEMBALA, MAREK. See PTAK, ZEMBALA, and GERSHON 424
ZINKERNAGEL, R. M., ALTHAGE, A., COOPER, S., KREEB, G., KLEIN, P. A., SEFTON, B., FLAHERTY, L., STIMPFLING, J., SHREFFLER, D., and KLEIN, J. *Ir*-genes in *H-2* regulate generation of anti-viral cytotoxic T cells. Mapping to *K* or *D* and dominance of unresponsiveness 592
—, ALTHAGE, A., COOPER, S., CALLAHAN, G., and KLEIN, J. In irradiation chimeras, K or D regions of the chimeric host, not of the donor lymphocytes, determine immune responsiveness of anti-viral cytotoxic T cells 805
ZUCKER-FRANKLIN, D. See LAVIE, ZUCKER-FRANKLIN, and FRANKLIN 1020

SUBJECT INDEX

A

Abelson virus, lymphomagenesis, mice, 714
Abortion tolerance, clonal, response of immature hapten-specific B lymphocytes, 1161
α_1-Acid glycoprotein (orosomucoid), human, leukocyte surface origin of, 507
African trypanosomiasis, development of new drugs, 569
Agammaglobulinemia, human B lymphocytes, and mouse myeloma hybrids, induction of human immunoglobulin synthesis, 974
Aging mice, thymic involution and immune deficiencies, 996
Alanine^{30}-tyrosine^{10}, glutamic acid^{60}-, macrophage-bound, role of suppressor T cells in gene regulation of secondary antibody responses to, 1324
—, glutamic acid^{60}-, spleen cells responsive to suppressor T-cell activity, 1282
Allelic exclusion of kappa light chain genes, rabbit pre-B and B cells, 1367
Allograft rejection, heart cellular basis of memory cells, 890
— rejection, heart, in vivo cellular basis of, 878
— responses, cytotoxic, T-cell interactions, 1523
Alloreactive parental T cells, host T-cell immunity to, resistance to graft-versus-host disease, 103
— potential, T cells depleted of, nonlysis of *H-2*-different virus infected target cells, 128
Alloreactivity, biological significance, ontogeny of T-cell sets specific for alloantigens or modified self antigens, 1414
Allotype suppressor cells, inhibition of immunoglobulin production, syngeneic athymic mice, 607
Allotypes, IgG, latent group b, isolation from pedigreed b^4b^4 rabbits, 522
Amyloid A protein, degradation by surface-associated enzymes, human blood monocytes, 1020
Anion, superoxide, production by immunologically activated and chemically elicited macrophages, 115
Antibodies, monoclonal, against mouse lymphocyte surface glycoprotein T200, interspecies spleen-myeloma hybrid, 313
—, monoclonal, antigenic drift in influenza A viruses, 383
— induction, loss of Friend virus leukemia cell-surface antigens, erythroleukemia, mouse, 1109
— isotypes, and helper function, antigen-specific T lymphocytes, 759
— molecules and mitogen receptors, shared antigenic determinants to same thymus-independent antigen, 862
Antibodies, monoclonal, separation of rat T lymphocyte subpopulations, 664
— response, role of vesicular stomatitis virus-replicating T cells, 850
— responses, T-dependent, spatial requirements for hapten and carrier determinants, 817
— specificity inheritance, anti-2-phenyloxazolone, mouse, 1644
Antigen-dependent distribution of IgA-containing cells, intestine, 1146
— determinants to thymus-independent antigen, shared by mitogen receptors and antibody molecules, 862
— modification, syngeneic cells, suppression of terpolymer poly(Gly,Lys,Phe), 1539
— phenotypes, Qa-1, relation to lymphocyte sets, mitogen responses, and immune functions, 963
Antigen-antibody complexes and IgM aggregates, effect of complement on ingestion of, mouse peritoneal macrophages, 903
Antigenic drift, influenza A virus with monoclonal antibodies, 383
Antigen-specific helper factor, in man, 1032
— helper T cells, and cytotoxic precursors, 1579
— human cytotoxic T cells, long-term culture, 1093
— suppressor T-cell activity, immune spleen cells, 1271
— T lymphocytes, helper function and expression of multiple antibody isotypes, 759
Antigens, allo-, Ia-like, human, rheumatoid arthritis and systemic lupus erythematosus, 1728
— cell surface, Friend virus leukemia, antibody-induced loss of, erythroleukemia, mouse, 1109
—, *H-2*, generation of clones of cytotoxic lymphocytes, 324
—, *H-2*, thymus, lymphocyte specificity, 766
—, H-Y male, association with β_2-microglobulin, human lymphoid and mouse teratocarcinoma cells, 58
—, Ia, murine, two-gene control of, 925
—, Ia, T-cell-specific, serology of I-J and I-E subregions, 692
—, minor histocompatibility, response of *H-2* incompatible chimera to, 84
—, modified self, or alloantigens, ontogeny of T-cell sets specific for, 1414
—, role in intestinal immune responses to cholera toxin and toxoid, rat, 195
—, spleen focus-forming virus, detection by lymphocyte-mediated cytolysis, 18
—, target, recognized by cytotoxic T cells, fusion activity, UV-inactivated Sendai virus, 276
—, Thy-1, rat hemopoietic stem cells, 1351

Antisera, Ia, inhibition of human erythropoietic colony formation, 613
—, *Streptococcus pneumoniae* type 14, opsonic activity against group B streptococci type III, 776
Aorta, rabbit, preparation of functional smooth muscle cells, 1400
Arthritis, rheumatoid, Ia-like human alloantigens, 1728
Atherosclerosis, virus-induction of, 335

B

B-cell heterogeneity, murine, mitogenic analysis, 136
— precursors specific to sheep erythrocytes, 1612
— T-helper cell interaction, histocompatibility restrictions, 1171
— and pre-B, ontogeny and allelic exclusion of kappa light chain genes, rabbit, 1367
B cells, nonspecific signals for localization and activation, 1705
B-lymphocyte colony-forming cells, monoclonal origin, spleen colonies, hemopoietic stem cells, 1468
B lymphocytes, human leukemic, immunoglobulin synthesis and differentiation in vitro, 1570
—, immature hapten-specific, clonal abortion tolerance, 1161
—, murine, activation by anti-immunoglobulin, 1628
B and T lymphocytes, murine differentiating chimeras, 727
Bacteria infections, nonspecific resistance to, enhancement by ubiquinone-8, 1228
—, lipopolysaccharide stimulation of macrophages, cytolytic effect on tumor target cells, 544
—, lipopolysaccharide stimulation of macrophages, differentiation signals by lipid A and protein-rich fraction, 557
Bone marrow lymphocytes, Fc and complement receptors and surface immunoglobulins, 1251
—marrow transplantation, graft-versus-host disease, minor histocompatibility barriers, mice, 1687

C

C2 and C4, low serum levels, association with HLA-DW2 allele, 704
C4-binding protein, human, characterization of, 207
—, protein, human, role in proteolysis of by C3b-inactivator, 1044
Calf thymic hormone fractions, in vivo and in vitro immunological activity, 71
Carrageenan, granuloma induction, mononuclear phagocytes, 261
Carrier and hapten determinants for T-dependent antibody responses, spatial requirements, 817
Cell damage, beta, and insulin-dependent hyperglycemia, Coxsackie virus-induced diabetes mellitus, 1068
— lines, human lymphoid and mouse teratocarcinoma, association of H-Y male antigen with β_2-microglobulin, 58
Cell-mediated immune mechanism, glomerulonephritis, 246
Cells, B-lymphocyte colony forming, monoclonal origin, spleen colonies, hemopoietic stem cells, 1468
—, B, murine, mitogenic analysis of heterogeneity, 136
—, B, nonspecific signals for localization and activation, 1705
—, B and pre-B, ontogeny and allelic exclusion of kappa light-chain genes, rabbit, 1367
— B, precursor specific to sheep erythrocytes, 1612
—, cytotoxic, induction during lymphocytic choriomeningitis virus infection of mice, 163
—, decidual, after implantation, immunologic membrane markers, mouse, 580
—, epithelial and mesenchymal, human, in vitro biosynthesis of complement first component, 1007
—, functional smooth muscle, preparation from rabbit aorta, 1400
—, helper T subpopulation, feedback inhibition, immunoregulatory circuits, 871
—, IgA-containing, intestine, antigen-dependent distribution of, 1146
—, Kupffer, origin, kinetics, and characteristics of in normal steady state, 1
—, memory, cellular basis of heart allograft rejection, 890
—, mink, focus-inducing murine leukemia virus, radioimmunoassay for gp70s, 654
—, mink, focus-inducing strains, helper independent, Friend murine type C virus, 639
—, nonproducer malignant tumor, sarcoma virus genome, isolation from Moloney sarcoma, 408
—, peripheral blood mononuclear, rheumatoid arthritis, in vitro effects of Epstein-Barr virus, 1429
—, stem, hemopoietic, rat, Thy-1 antigen, 1351
—, suppressor, action against human gamma globulin, 625
—, T, alloreactive parental, host T-cell immunity to, resistance to graft-versus-host disease, 103
—, T, cytotoxic, anti-viral, regulation by *Ir* genes, mapping to *K* or *D*, 592
—, T, cytotoxic, host response to influenza pneumonia, 1241
—, T, cytotoxic, *H-2*-restricted, specific adsorption to macrophage monolayers, 1711
—, T, cytotoxic reactivity to syngeneic tumors, thymus regulation of, 619
—, T, cytotoxic responses, mice with influenza and vaccinia virus infection, role of *H-2* genotype, 534
—, T, cytotoxic, target antigen recognition, role of fusion activity, UV-inactivated Sendai virus, 276
—, T, depleted of alloreactive potential, nonlysis of *H-2*-different virus-infected target cells, 128
—, T helper, in vivo induction, role of *H-2* complex, 478

Cells, T helper, macrophage interaction and T-helper cell B-cell interaction, histocompatibility restrictions, 1171
—, T, immunocompetent, maturation of immature thymocytes into, absence of direct thymic influence, 32
—, T, interactions during cytotoxic allograft responses, 1523
—, T, murine, functional, determinant-specific, idiotype-bearing, purification of, 915
—, T, radiosensitive population, effect on sarcoma growth, 799
—, T, replication of vesicular stomatitis virus, mouse, 1837
—, T, replication of vesicular stomatitis virus, role in antibody response, 1850
—, T, specific for alloantigens or modified self antigens, 1414
—, T, specific murine Ia antigens, serology of I-J and I-E subregions, 692
—, T, suppressor, antigen-specific, immune spleen cells, 1271
—, T, suppressor, idiotype-specific, effect on primary and secondary responses, 182
—, T, suppressor, Ir-gene regulation of secondary antibody responses to macrophage-bound glutamic acid^{60}-alanine^{30}-tyrosine^{10}, 1324
—, T, suppressor signals between subsets of, role of macrophages, 424
—, T, suppressor, spleen cells responsive to glutamic acid^{60}-alanine^{30}-tyrosine^{10}, 1282
—, T suppressor, and T-lymphoma cell line, hybridoma suppressive factors, 373
—, target, tumor, cytolytic effect of macrophage stimulation by bacterial lipopolysaccharides, 544
Chain, kappa light, ontogeny and allelic exclusion, rabbit pre-B and B cells, 1367
—, light, lambda-2, inbred mice, 1380
—, λ_1 light, murine, gene control of expression of, 1122
Chemotaxis inhibitor, macrophage, role in neoplasm resistance to immunologic destruction, 93
Chimeras, differentiating, murine T and B lymphocytes, 727
—, *H-2* incompatible, response to minor histocompatibility antigens, 84
—, radiation, host K or D regions, response of antiviral cytotoxic T cells, 805
—, radiation, role of host genotype in cytolytic T-lymphocyte responses to trinitrophenyl-modified syngeneic cells, 352
Cholera toxin and toxoid, role of antigen in intestinal immune response to, 195
Choriomeningitis virus infection, lymphocytic, murine, cytotoxic cell induction, 163
Chromosome 5, mouse, receptor for ecotropic murine leukemia virus, 451
Clone abortion tolerance, response of immature hapten-specific B lymphocytes, 1161
— profile alteration, irradiation effect on phosphorylcholine, BALB/c mice, 987
Clones, cytotoxic lymphocytes, generation by *H-2* antigen, 324
Collagenase, increased, genetic characteristic of recessive dystrophic epidermolysis bullosa, 1378
Colony-forming cells, B lymphocytes, monoclonal origin, spleen colonies, hemopoietic stem cells, 1468
Colony-stimulating activity production, lactoferrin as granulocyte-derived inhibitor, 1052
Complement, alternative pathway, mechanism of action of factor D, 1498
—, cytolytic alternative pathway, assembly of from 11 plasma proteins, 1722
—, effect on ingestion of antigen-antibody complexes and IgM aggregates, mouse peritoneal macrophages, 903
—, first component, biosynthesis in vitro by human epithelial and mesenchymal cells, 1007
— receptors, surface immunoglobulins, bone marrow lymphocytes, 1251
Complementary idiotypic responses, absence of reciprocal regulation, 148
Complex, *H-2*, induction of T-helper cells in vivo, antigen-specific selection, 478
—, major histocompatibility, murine, gene products in schistosomula of *Schistosoma mansoni*, 46
Complexes, antigen-antibody, and IgM aggregates, effect of complement on ingestion of, mouse peritoneal macrophages, 903
—, protease-inhibitor, biological fluids, 223
C-reactive protein synthesis and secretion by hepatocytes, acute inflammation, rabbit, 466
Cytolytic alternative pathway of complement, assembly of from 11 plasma proteins, 1722
— T lymphocytes, gene control of responses to trinitrophenyl-modified syngeneic cells, 341
— lymphocytes, response to trinitrophenyl-modified syngeneic cells, role of host genotype in radiation chimeras, 352
Cytotoxic allograft responses, T-cell interactions, 1523
— cell induction, lymphocytic choriomeningitis virus infection of mice, 163
— lymphocytes, clone generation by *H-2* antigens, 324
— precursors, antigen-specific helper T cells, 1579
— responses, thymocyte sensitization, role of *H-2* I-region determinants and cell-free mixed leukocyte culture supernates, 953
— T-cell reactivity to syngeneic tumors, thymus regulation of, 619
— T-cell responses, mice with influenza and vaccinia virus infection, role of *H-2* genotype, 534
— T cells, anti-viral, host K or D regions of radiation chimeras, 805
— T cells, anti-viral, regulation by *Ir* genes, mapping to *K* or *D*, 592
— T cells, host response to influenza pneumonia, 1241
Cytotoxic T cells, *H-2*-restricted, specific adsorption to macrophage monolayers, 1711
— T cells, human antigen-specific, long-term culture, 1093
— T cells, target antigen recognition, role of fusion

activity, UV-inactivated Sendai virus, 276
— T lymphocytes, α-fetoprotein suppression of, cellular and genetic restrictions, 360
— T lymphocytes, secondary induction with syngeneic tumor cell plasma membranes, 1435
— T lymphocytes specific for influenza virus, HLA restriction, 1458
— T lymphocytes, virus specific, induction with membrane proteins, 1620
Cytotoxicity, *H-2* restricted and anti-*H-2* responses, 1478

D

Decidual cells after implantation, immunologic membrane markers, mouse, 580
Deoxynucleotidyl transferase, terminal, radiation leukemia, C57BL/6 mouse, 1330
Diabetes mellitus, induction by Coxsackie virus, beta-cell damage and insulin-dependent hyperglycemia, in mice, 1068
Differentiation signals by lipid A and protein-rich fraction of bacterial lipopolysaccharides, macrophage stimulation, 557
Disease associations of Ia-like human alloantigens, rheumatoid arthritis and systemic lupus erythematosus, 1728
Drugs, development of, African trypanosomiasis, 569
Dystrophic epidermolysis bullosa, increased collagenase as genetic characteristic, 1378

E

Encephalomyelitis, allergic, Lewis rat, myelin basic protein serum factor, 1716
Endotoxin, induction of tumor regression, immunological basis, concomitant anti-tumor immunity, 1560
—, induction of tumor regression, immunological basis, T cell-mediated immunity, 1550
Entamoeba surface properties, human erythrocyte phagocytosis, 1137
Enzymes, surface-associated, degradation of serum amyloid A protein, human blood monocytes, 1020
Epithelial cells, human, in vitro biosynthesis of complement first component, 1007
Epstein-Barr virus, effects on peripheral blood mononuclear cells, rheumatoid arthritis, 1429
Erythrocyte phagocytosis, human, surface properties of *Entamoeba*, 1137
—, sheep, B-cell precursors specific to, 1612
Erythroleukemia, mice, antibody-induced loss of Friend virus leukemia cell surface antigens, 1109
Erythropoietic colony formation, human, inhibition by Ia antisera, 613
Ethylene formation by polymorphonuclear leukocytes, role of myeloperoxidase, 490

F

Factor D, mechanism of action, alternative complement pathway, 1498
—, helper, antigen-specific, in man, 1032
Factors, serum, blocking of delayed-type hypersensitivity, mice, 235
—, suppressive, hybridomas of suppressor T cells and T lymphoma cell line, 373
Fc and complement receptors, surface immunoglobulins, bone marrow lymphocytes, 1251
Feedback inhibition, immunoregulatory circuits, T helper cell subpopulation, 871
α-Fetoprotein, suppression of cytotoxic T lymphocytes, cellular and genetic restrictions, 360
Fluids, biological, proteases and protease-inhibitor complexes, 223
Friend murine type C virus, helper independent, mink cell focus-inducing strains, 639
— virus leukemia cell surface antigens, antibody-induced loss, erythroleukemia, mouse, 1109
Fusion activity, UV-inactivated Sendai virus, target antigens recognized by cytotoxic T cells, 276

G

Gamma globulin, human, action of suppressor cells against, 625
— control, cytolytic T-lymphocyte responses to trinitrophenyl-modified syngeneic cells, 341
— control, expression of murine Ia antigen, 925
— control, expression of murine λ_1 light chain, 1122
— products, *H-2L*, virus-immune T-cell recognition, 1678
— products, murine major histocompatibility complex, schistosomula of *Schistosoma mansoni*, 46
— regulation of anti-viral cytotoxic T cells, mapping to *K* or *D*, 592
— regulation of secondary antibody responses to macrophage-bound glutamic acid^{60}-alanine^{30}-tyrosine^{10}, role of suppressor T cells, 1324
Genes, *H-2* linked, role in helper T-cell function, I-region and Ir gene expression, 1510
—, kappa light chain, ontogeny and allelic exclusion of, rabbit pre-B and B cells, 1367
Genetic characteristic, increased collagenase, recessive dystrophic epidermolysis bullosa, 1378
— restrictions, α-fetoprotein suppression of cytotoxic T lymphocytes, 360
Genotype, *H-2*, role in cytotoxic T-cell responses, mice with influenza and vaccinia virus infection, 534
—, host, radiation chimeras, role in cytolytic T lymphocyte response to trinitrophenyl-modified syngeneic cells, 352
Glomerulonephritis, cell-mediated immune mechanism, 246
Glutamic acid^{60}-alanine^{30}-tyrosine^{10}, macrophage-bound, role of suppressor T cells in Ir gene regulation of secondary antibody responses to, 1324
—, spleen cells responsive to, suppressor T-cell activity, 1282
Glycopeptides, surface, sialylation of, human trophoblast, 1087
Glycoprotein, α_1-acid, human, leukocyte surface origin of, 507
Glycoprotein, gp70, murine, hormone dependence of, 793

— T200, mouse lymphocyte surface, monoclonal antibody production by interspecies spleen-myeloma hybrid, 313
Gp70s, radioimmunoassay, mink cell focus-inducing murine leukemia virus, cross-reacting antigen, 654
Graft-versus-host disease, bone marrow transplantation, minor histocompatibility barriers, mice, 1687
— disease, mouse gut T lymphocytes, 1661
— disease, resistance to mediated by host T-cell immunity to alloreactive parental T cells, 103
Granulocyte-derived inhibitor of colony-stimulating activity production, lactoferrin, 1052
Granulomas, carrageenan-induced, mononuclear phagocytes, 261
Guinea pig, macrophage surface protein kinase, 1099

H

H-2 antigens, generation of clones of cytotoxic lymphocytes, 324
— antigens, thymus, lymphocyte specificity, 766
— complex, induction of T helper cells in vivo, antigen-specific selection, 478
— controlled Ss and Slp proteins, structural and functional differences, 1186
— different virus-infected target cells, nonlysis by T cells depleted of alloreactive potential, 128
— genotype, role in cytotoxic T-cell responses, mice with influenza and vaccinia virus infection, 534
— incompatible chimera, response to minor histocompatibility antigens, 84
— I-region determinants and cell-free mixed leukocyte culture supernates, role in cytotoxic responses, thymocyte sensitization, 953
— linked genes, role in helper T-cell function, *I*-region and *Ir* gene expression, 1510
— restricted and anti-*H-2* cytotoxic responses, 1478
— restricted cytotoxic T cells, specific adsorption to macrophage monolayers, 1478
H-2L gene products, virus-immune T-cell recognition, 1678
HLA-DW2 allele, association in low serum levels of C2 and C4, 704
Hapten and carrier determinants for T-dependent antibody responses, spatial requirements, 817
Heart, allograft rejection, cellular basis of memory cells, 890
—, allograft rejection, in vivo cellular basis of, 878
Helper activity, allogeneic, role of Ia-bearing T lymphocytes, 1423
— cell function, anti-idiotype-induced regulation, response to phosphorylcholine, BALB/c mice, 1216
— cells, T, in vivo induction, role of *H-2* complex, 478
— cells, T subpopulation, feedback inhibition, immunoregulatory circuits, 871
Helper factor, antigen-specific, in man, 1032
— function and expression of multiple antibody isotypes, antigen-specific T lymphocytes, 759
— independent mink cell focus-inducing strains, Friend murine type C virus, 639
— T-cell function, role of *H-2* linked genes, *I*-region and Ir gene expression, 1510
— T cells, antigen-specific, and cytotoxic precursors, 1579
Hemopoietic stem cells, monoclonal origin of B lymphocyte colony-forming cells, 1468
— stem cells, rat, Thy-1 antigen, 1351
Hepatocytes, synthesis and secretion of C-reactive protein, acute inflammation, rabbit, 466
Histocompatibility antigens, minor, response of *H-2* incompatible chimera to, 84
— barriers, graft-versus-host disease, after bone marrow transplantation, mice, 1687
— complex, major, gene products in schistosomula of *Schistosoma mansoni*, 46
— restrictions, macrophage T-helper cell interaction and T-helper cell B-cell interaction, 1171
HLA restriction, human cytotoxic T lymphocytes specific for influenza virus, 1458
Hormone dependence of glycoprotein gp70, mouse, 793
—, thymus, calf, in vivo and in vitro immunological activity, 71
Host environment, *I* region and *Ir*-gene expression, role of *H-2* linked genes in helper T-cell function, 1510
— geneotype, radiation chimeras, role in cytolytic T lymphocyte responses to trinitrophenyl-modified syngeneic cells, 352
— K or D regions, radiation chimeras, response to anti-viral cytotoxic T cells, 805
— response to influenza pneumonia, cytotoxic T cells, 1241
— T-cell immunity to alloreactive parental T cells, resistance to graft-versus-host disease, 103
H-Y male antigen, association with β_2-microglobulin, human lymphoid and mouse teratocarcinoma cells, 58
Hybrid, interspecies spleen-myeloma, monoclonal antibodies against mouse lymphocyte surface glycoprotein T200, 313
Hybridomas, suppressor T cells and T-lymphoma cell line, specific suppressive factors, 373
Hybrids, mouse myeloma and human agammaglobulinemia B lymphocytes, induction of human immunoglobulin synthesis, 974
Hydrolyases, lysosomal, macrophage secretion of, 435
Hyperglycemia, insulin-dependent, Coxsackie virus-induced diabetes mellitus, 1068
Hypersensitivity, delayed-type, blocking by serum factors, mice, 235

I

I region and *Ir*-gene expression, role of *H-2* linked genes in helper T-cell function, 1510

Ia alloantigens, human, rheumatoid arthritis and systemic lupus erythematosus, 1728
Ia antigen, murine, two-gene control of, 925
— antigens, synthesis by T cells in mixed leukocyte culture, 1440
— antigens, T-cell specific, serology of I-J and I-E subregions, 692
— antisera, inhibition of human erythropoietic colony formation, 613
Ia-bearing T lymphocytes, human, role in allogeneic helper activity, 1423
Idiotype, anti-, regulation of helper cell function, response to phosphorylcholine, BALB/c mice, 1216
Idiotype-specific suppressor T cells, effect on primary and secondary responses, 182
Idiotypic responses, complementary, absence of reciprocal regulation, 148
Immune deficiencies and thymic involution, aging mice, 996
— functions, mitogen responses, and lymphocyte sets, role of Qa-1 antigen phenotypes, 963
— mechanism, cell-mediated, glomerulonephritis, 246
— response to cholera toxin and toxoid, intestine, rat, role of antigen, 195
— response, role of vesicular stomatitis virus-replicating T cells in antibody response, 850
— response, suppression by protein-free lipopolysaccharides, C3H/HeJ mice, 1081
— response, T-cell replication of vesicular stomatitis virus, 837
— suppression, antigen-modified syngeneic cells, terpolymer poly(Gly,Lys,Phe), 1539
Immunity, host T-cell, to alloreactive parental T cells, resistance to graft-versus-host disease, 103
Immunization, rhesus monkey, malaria vaccine against sexual and asexual stages of *Plasmodium knowlesi*, 1311
Immunocompetence, T cells, maturation of thymocytes, absence of direct thymic influence, 32
Immunoglobulin A cells, intestine, antigen-dependent distribution of, 1146
— allotypes, latent group b, isolation from pedigreed b^4b^4 rabbits, 522
—, anti-, activation of murine B lymphocytes, 1628
— inhibition by allotype-specific suppressor cells, syngeneic athymic mice, 607
— M aggregates and antigen-antibody complexes, effect of complement on ingestion of, mouse peritoneal macrophages, 903
— secretion, murine plasmocytoma line MOPC 315, 301
—, surface, bone marrow lymphocytes, 1251
— synthesis and differentiation in vitro, human leukemic B lymphocytes, 1570
— synthesis, human, induction of in hybrids of mouse myeloma and human agammaglobulinemia B lymphocytes, 974
Immunological activity, in vitro and in vivo, calf thymic hormone fractions, 71
— basis, endotoxin-induced tumor regression, concomitant anti-tumor immunity, 1560
— basis, endotoxin-induced tumor regression, T-cell-mediated immunity, 1550
— destruction, resistance of neoplasms, role of macrophage chemotaxis inhibitor, 93
— membrane markers, decidual cells after implantation, mouse, 580
Immunoregulatory circuits, feedback inhibition T-helper cell subpopulation, 871
Implantation, immunologic membrane markers in decidual cells, mouse, 580
Inactivator, C3b, role in proteolysis of C4-binding protein, 1044
Infections, bacterial, nonspecific resistance to, enhancement by ubiquinone-8, 1228
—, lymphocytic choriomeningitis virus, murine, cytotoxic cell induction, 163
—, silent, human leukocytes, activation of measles virus, 940
Inflammation, acute, C-reactive protein synthesis and secretion by hepatocytes, 466
Influenza A viruses with monoclonal antibodies, antigenic drift, 383
— pneumonia, host response, cytotoxic T cells, 1241
— and vaccinia virus infection, mouse, role of *H-2* genotype in cytotoxic T-cell responses, 534
— virus, HLA restriction of human cytotoxic T lymphocytes specific for, 1458
Inheritance, antibody specificity, anti-2-phenyloxazolone, mouse, 1644
Inhibitor, macrophage chemotaxis, role in neoplasm resistance to immunologic destruction, 93
— and protease complexes, biological fluids, 223
Insulin-dependent hyperglycemia, Coxsackie virus-induced diabetes mellitus, 1068
Intestine, IgA-containing, antigen-dependent distribution of, 1146
—, mouse, T lymphocytes, graft-versus-host conditions, 1661
—, rat, antigen role in immune responses to cholera toxin and toxoid, rat, 195
Ir-gene control, cytolytic T lymphocyte responses to trinitrophenyl-modified syngeneic cells, 341
— gene regulation of anti-viral cytotoxic T cells, mapping to *K* or *D*, 592
— gene regulation of secondary antibody responses to macrophage-bound glutamic acid^{60}-alanine^{30}-tyrosine^{10}, role of suppressor T cells, 1324
Irradiation effect on phosphorylcholine response, clonal profile alteration, BALB/c mice, 987

K

Kupffer cells, origin, kinetics, and characteristics of in normal steady state, 1

L

Lactoferrin, granulocyte-derived inhibitor of colony-stimulating activity production, 1052
Lambda-2 light chains, inbred mice, 1380
Leishmania enrietti, intracellular destruction of, macrophage activation, 393

Leukemia, Friend virus, antibody-induced loss of cell surface antigens, erythroleukemia, mouse, 1109
—, human, B lymphocytes, immunoglobulin synthesis and differentiation in vitro, 1570
—, radiation, C57BL/6 mice, expression of terminal deoxynucleotidyl transferase, 1330
— resistant mice, thymocyte expression of ecotropic virus, 329
— virus, ecotropic murine, receptor on mouse chromosome 5, 451
Leukocyte, cell-free mixed, and *H-2* I-region determinants, role in cytotoxic responses, thymocyte sensitization, 953
— surface origin of human α_1-acid glycoprotein (orosomucoid), 507
Leukocytes, polymorphonuclear, ethylene formation, role of myeloperoxidase, 490
—, polymorphonuclear, human, thromboxane generation, 787
Lipid A and protein-rich fraction of bacterial lipopolysaccharides, macrophage stimulation, 557
Lipopolysaccharides, bacterial, macrophage stimulation, cytolytic effect on tumor target cells, 544
—, bacterial, macrophage stimulation, differentiation signals by lipid A and protein-rich fraction, 557
—, protein-free, suppression of immune response, C3H/HeJ mice, 1081
Lupus erythematosus, systemic, Ia-like human alloantigens, 1728
Lupus-like syndromes, spontaneous, murine, clinical and immunopathological manifestations, 1198
Lymphocyte differentiation, long-term in vitro culture, irradiated mice, 823
— mediators, alteration of murine peritoneal macrophages, 746
— sets, mitogen responses, and immune functions, role of Qa-1 antigen phenotypes, 963
— specificity, thymus *H-2* antigens, 766
Lymphocytes, B, colony-forming cells, monoclonal origin, spleen colonies, hemopoietic stem cells, 1468
—, B, human agammaglobulinemia, and mouse myeloma hybrids, induction of human immunoglobulin synthesis, 974
—, B, human leukemic, immunoglobulin synthesis and differentiation in vitro, 1570
—, B, immature hapten-specific, clonal abortion tolerance, 1161
—, B, murine, activation by anti-immunoglobulin, 1628
—, B and T, murine, differentiating chimeras, 727
—, bone marrow, Fc and complement receptors and surface immunoglobulin, 1251
—, cytotoxic, clone generation by *H-2* antigens, 324
—, human, silently infected, activation of measles virus, 940
—, mediation of cytolysis, detection of spleen focus-forming virus neoantigen, 18
—, T, alternative pathways of activation, 829
Lymphocytes, T, antigen-specific, helper function and expression of multiple antibody isotypes, 759
—, T, cytolytic, gene control of responses to trinitrophenyl-modified syngeneic cells, 341
—, T, cytolytic, response to trinitrophenyl-modified syngeneic cells, role of host genotype in radiation chimeras, 352
—, T, cytotoxic, α-fetoprotein suppression of, cellular and genetic restrictions, 360
—, T, cytotoxic, human, specific for influenza virus, HLA restriction, 1458
—, T, cytotoxic, secondary induction with syngeneic tumor cell plasma membranes, 1435
—, T, cytotoxic, virus-specific, induction with membrane proteins, 1620
—, T, Ia-bearing, human, role in allogeneic helper activity, 1423
—, T, mouse gut, graft-versus-host disease, 1661
—, T, subpopulation separation by monoclonal antibody, rat, 664
Lymphocytic choriomeningitis virus infection, murine, cytotoxic cell induction, 163
Lymphoid cells, human, association of H-Y male antigen with β_2-microglobulin, 58
Lymphoma cell line and suppressor T cells, hybridoma suppressive factors, 373
—, T cell, induction by radiation leukemia virus, athymic nude mice, 1292
Lymphomagenesis, Abelson virus-induced, in mice, 714
Lysosomal hydrolases, macrophage secretion of, 435

M

Macrophage activation, destruction of intracellular *Leishmania enrietti*, 393
— activation, role of phagocytosis, 1449
— chemotaxis inhibitor, role in neoplasm resistance to immunological destruction, 93
— microbicidal activity, *Trypanosoma cruzi*, 288
—, monolayers, specific adsorption of *H-2*-restricted cytotoxic T cells, 1711
— role in passage of suppressor signals between T cell subsets, 424
— secretion of lysosomal hydrolases, 435
— stimulation by bacterial lipopolysaccharides, cytolytic effect on tumor target cells, 544
— stimulation by bacterial lipopolysaccharides, differentiation signals by lipid A and protein-rich fraction, 557
— surface-protein kinase, guinea pig, 1099
— T-helper cell interaction and T-helper cell B-cell interaction, histocompatibility restrictions, 1171
— tumor, plasminogen activator, 811
Macrophages, immunologically activated and chemically elicited, superoxide anion production, 115
—, peritoneal, mouse, effect of complement on ingestion of antigen-antibody complexes and IgM aggregates, 903

Macrophages, peritoneal, murine, alteration by lymphocyte mediators, 746
— immunization, rhesus monkeys, vaccine against sexual and asexual stages of *Plasmodium knowlesi*, 1311
Male antigen, H-Y, association with β_2-microglobulin, human lymphoid and mouse teratocarcinoma cells, 58
Man, α_1-acid glycoprotein, leukocyte surface origin of, 507
—, antigen-specific cytotoxic T cells, long-term culture, 1093
—, antigen-specific helper factor, 1032
—, C4-binding protein, characterization of, 207
—, C4-binding protein, role in proteolysis of by C3b-inactivator, 1044
—, blood monocytes, amyloid A protein degradation by surface-associated enzymes, 1020
—, cytotoxic T lymphocytes specific for influenza virus, HLA restriction, 1458
—, epithelial and mesenchymal cells, in vitro biosynthesis of complement first component, 1007
—, erythrocyte phagocytosis, surface properties of *Entamoeba*, 1137
—, erythropoietic colony formation, inhibition by Ia antisera, 613
—, gamma globulin, action of suppressor cells against, 625
—, Ia-like alloantigens, rheumatoid arthritis and systemic lupus erythematosus, 1728
—, immunoglobulin synthesis, induction of in hybrids of mouse myeloma and human agammaglobulinemia B lymphocytes, 974
—, leukemic B lymphocytes, immunoglobulin synthesis and differentiation in vitro, 1570
—, lymphocytes, silently infected, activation of measles virus, 940
—, polymorphonuclear leukocytes, thromboxane generation, 787
Mapping to *K* or *D*, *Ir*-genes regulation of anti-viral cytotoxic T cells, 592
Measles virus, activation of from silently infected human lymphocytes, 940
— virus, comparison of wild-type and sclerosing panencephalitis strains, 674
Membrane markers, immunologic, decidual cells after implantation, mouse, 580
— proteins, induction of virus-specific cytotoxic T lymphocytes, 1620
Membranes, plasma, syngeneic tumor cells, secondary induction of cytotoxic T lymphocytes, 1435
Memory cells, cellular basis of heart allograft rejection, 890
Mesenchymal cells, human, in vitro biosynthesis of complement first component, 1007
Microbicidal activity, macrophage, *Trypanosoma cruzi*, 288
β_2-Microglobulin, association with H-Y male antigen, human lymphoid and mouse teratocarcinoma cells, 58
Mink cell focus-inducing murine leukemia virus, radioimmunoassay for gp70s, 654
— cell focus-inducing strains, helper independent, Friend murine type C virus, 639
Mitogen analysis, murine B cell heterogeneity, 136
— receptors and antibody molecules, shared antigenic determinants to same thymus-independent antigen, 862
— responses, lymphocyte sets, and immune functions, role of Qa-1 antigen phenotypes, 963
Moloney sarcoma, nonproducer malignant tumor cells with sarcoma virus genome, 408
Monocytes, blood, human, amyloid A protein degradation by surface-associated enzymes, 1020
Monolayers, macrophage, specific adsorption of *H-2*-restricted cytotoxic T cells, 1711
Mononuclear phagocytes, carrageenan-induced granulomas, 261
Mouse, Abelson virus-induced lymphomagenesis, 714
—, aging, thymic involution and immune deficiencies, 996
—, athymic nude, T-cell lymphoma induction by radiation leukemia virus, 1292
—, B lymphocytes, activation by anti-immunoglobulin, 1628
—, BALB/c, irradiation effect on phosphorylcholine response, clonal profile alteration, 987
—, BALB/c, response to phosphorylcholine, anti-idiotype induced regulation of helper cell function, 1216
—, B-cell heterogeneity, mitogenic activity, 136
—, C3H/HeJ, suppression of immune response by protein-free lipopolysaccharides, 1081
—, C57BL/6, radiation leukemia, expression of terminal deoxynucleotidyl transferase, 1330
—, decidual cells after implantation, immunologic membrane markers, 580
—, ecotropic leukemia virus, receptor on mouse chromosome 5, 451
—, erythroleukemia, antibody-induced loss of Friend virus leukemia cell surface antigens, 1109
—, histocompatibility barriers, graft-versus-host disease after bone marrow transplantation, 1687
—, Ia antigen, two-gene control of, 925
—, inbred, lambda-2 light chain, 1380
—, influenza and vaccinia virus infection, role of *H-2* genotype in cytotoxic T-cell responses, 534
—, inheritance of antibody specificity, anti-2-phenyloxazolone, 1644
—, irradiated, lymphocyte differentiation, long-term in vitro culture, 823
—, leukemia-resistant (AKR × NZB), thymocyte expression of ecotropic virus, 329
—, λ_1-light chain, gene control of expression of, 1122
—, lymphocyte-surface glycoprotein T200, monoclonal antibody production by interspecies spleen-myeloma hybrid, 313
—, lymphocytic choriomeningitis virus infection, cytotoxic cell induction, 163
—, major histocompatibility complex gene products, schistosomula of *Schistosoma mansoni*, 46
— myeloma and human agammaglobulinemia B lymphocyte hybrids, induction of human immu-

noglobulin synthesis, 974
—, peritoneal macrophages, alteration by lymphocyte mediators, 746
—, peritoneal macrophages, effect of complement on ingestion of antigen-antibody complexes and IgM aggregates, 903
—, plasmacytoma line MOPC 315, immunoglobulin secretion, 301
—, serum factor blocking delayed-type hypersensitivity, 235
—, spontaneous lupus-like syndromes, clinical and immunopathological manifestations, 1198
—, syngeneic athymic, immunoglobulin inhibition by allotype-specific suppressor cells, 607
—, T and B lymphocytes, differentiating chimeras, 727
—, T cells, functional, determinant-specific, idiotype-bearing, purification of, 915
—, T lymphocytes, gut, graft-versus-host conditions, 1661
Muscle, smooth, rabbit aorta, preparation of functional cells, 1400
Myelin basic protein serum factor, allergic encephalomyelitis, Lewis rat, 1716
Myeloma-spleen interspecies hybrid, monoclonal antibodies against mouse lymphocyte-surface glycoprotein T200, 313
Myeloperoxidase, role in ethylene formation, polymorphonuclear leukocytes, 490

N

Neoplasm resistance to immunologic destruction, role of macrophage chemotaxis inhibitor, 93
Neurovirulence, measles virus, comparison of wild-type and sclerosing panencephalitis strains, 674

O

Ontogeny and allelic exclusion of kappa light chain genes, rabbit pre-B and B cells, 1367
—, T-cell sets specific for alloantigens or modified self antigens, 1414
Opsonic activity against group B streptococci type III by *Streptococcus pneumoniae* type 14 antisera, 776
Orosomucoid, human, leukocyte-surface origin of, 507

P

Panencephalitis, sclerosing, comparison with wild-type strain, measles virus, 674
Phagocytes, mononuclear, carrageenan-induced granulomas, 261
Phagocytosis, human erythrocytes, surface properties of *Entamoeba*, 1137
—, role in macrophage activation, 1449
Phenotypes, Qa-1 antigen, relation to lymphocyte sets, mitogen responses, and immune functions, 963
2-Phenyloxazolone, antibody specificity, inheritance of, mouse, 1644
Phosphorylcholine response, anti-idiotype induced regulation of helper cell function, BALB/c mice, 1216
Phosphorylcholine response, effect of irradiation, clonal profile alteration, BALB/c mice, 987
Plasmacytoma line MOPC 315, murine, immunoglobulin secretion, 301
Plasminogen activator, macrophage tumor cells, 811
Plasmodium knowlesi, sexual and asexual stages, vaccine against, malaria immunization in rhesus monkeys, 1311
Pneumonia, influenza, host response, cytotoxic T cells, 1241
Poly(Gly,Lys,Phe), immune suppression, antigen-modified syngeneic cells, 1539
Polysaccharides, type-specific, *Streptococcus suis*, 1699
Proteases and protease-inhibitor complexes, biological fluids, 223
Protein, amyloid A, degradation by surface-associated enzymes, human blood monocytes, 1020
—, C4-binding, human, characterization of, 207
—, C4-binding, human, role in proteolysis of by C3b-inactivator, 1044
—, C-reactive, synthesis and secretion by hepatocytes, acute inflammation, rabbit, 466
— kinase, surface of guinea pig macrophages, 1099
— and lipid A fractions of bacterial lipopolysaccharides, macrophage stimulation, 557
—, membrane, induction of virus-specific cytotoxic T lymphocytes, 1620
—, plasma, assembly of cytolytic alternative pathway of complement, 1722
— serum factor, myelin, allergic encephalomyelitis, Lewis rat, 1716
—, Ss and Slp, *H-2* controlled, structural and functional differences, 1186
Protein-free lipopolysaccharides, suppression of immune response, C3H/HeJ mice, 1081
Proteolysis, C4-binding protein, role of C3b-inactivator, 1044

Q

Qa-1 antigen phenotypes, relation to lymphocyte sets, mitogen responses, and immune functions, 963

R

Rabbit, acute inflammation, C-reactive protein synthesis and secretion by hepatocytes, 466
—, aorta, preparation of functional smooth muscle cells, 1400
—, pedigreed b^4b^4, IgG allotypes with latent group b, 522
—, pre-B and B cells, ontogeny and allelic exclusion of kappa light-chain genes, 1367
Radiation chimeras, host K or D regions, response of anti-viral cytotoxic T cells, 805
— chimeras, role of host genotype in cytolytic T lymphocyte responses to trinitrophenyl-modified syngeneic cells, 352
— leukemia, C57BL/6 mice, expression of terminal

deoxynucleotidyl transferase, 1330
Radiation leukemia virus, T-cell lymphoma induction, athymic nude mice, 1292
Radioimmunoassays, gp70s, mink cell focus-inducing murine leukemia virus, cross-reacting antigen, 654
Rat, graft-versus-host disease, resistance to mediated by host T-cell immunity to alloreactive parental T cells, 103
—, intestine, antigen role in immune responses to cholera toxin and toxoid, rat, 195
—, Lewis, allergic encephalomyelitis, myelin basic protein serum factor, 1716
—, T-lymphocyte subpopulation separation by monoclonal antibody, 664
Receptor for ecotropic murine leukemia virus, mouse chromosome 5, 451
Receptors, mitogen, and antibody molecules, shared antigenic determinants to same thymus-independent antigen, 862
Rejection, heart allograft, cellular basis of memory cells, 890
—, heart allograft, in vivo cellular basis of, 878
Rheumatoid arthritis, peripheral blood mononuclear cells, in vitro effects of Epstein-Barr virus, 1429

S

Sarcoma growth, effect of radiosensitive T-cell population, 799
— virus genome, nonproducer malignant tumor cells, isolation from Moloney sarcoma, 408
Schistosoma mansoni, schistosomula, murine major histocompatibility complex gene products, 46
Schistosomula, *Schistosoma mansoni*, murine major histocompatibility complex, gene products, 46
Serum factors blocking delayed-type hypersensitivity, mice, 235
Sheep, erythrocytes, B-cell precursors specific, to, 1612
Sialylation of surface glycopeptides, human trophoblast, 1087
Signals, nonspecific, B-cell localization and activation, 1705
Spleen cells, immature, antigen-specific suppressor T-cell activity, 1271
— cells responsive to glutamic acid^{60}-alanine^{30}-tyrosine^{10}, suppressor T-cell activity, 1282
— focus-forming virus neoantigen, detection by lymphocyte-mediated cytolysis, 18
Spleen-myeloma interspecies hybrid, monoclonal antibodies against mouse lymphocyte surface glycoprotein T200, 313
Ss and Slp proteins, *H-2* controlled, structural and functional differences, 1186
Steady state, normal, origin, kinetics, and characteristics of Kupffer cells, 1
Stem cells, hemopoietic, monoclonal origin of B lymphocyte colony-forming cells, 1468
— cells, hemopoietic, rat, Thy-1 antigen, 1351
— group B type III, opsonic activity by *Streptococcus pneumoniae* type 14 antisera, 776
Streptococcus suis, type-specific polysaccharides 1699
— anion production, immunologically activated and chemically elicited macrophages, 115
Suppression, immune, antigen-modified syngeneic cells, terpolymer poly(Gly,Les,Phe), 1539
Suppressor cells, action against human gamma globulin, 625
— cells, allotype-specific inhibition of immunoglobulin production, syngeneic athymic mice, 607
— signals between T-cell subsets, role of macrophages in passage of, 424
— T-cell activity, antigen-specific, immune spleen cells, 1271
— T-cell activity, spleen cells response to glutamic acid^{60}-alanine^{30}-tyrosine^{10}, 1282
— T-cell *Ir*-gene regulation of secondary antibody responses to macrophage-bound glutamic acid^{60}-alanine^{30}-tyrosine^{10}, 1324
— T cells, idiotype-specific, effect on primary and secondary responses, 182
Surface glycopeptide sialylation, human trophoblast, 1087
—, macrophages, guinea pig, protein kinase, 1099
— properties of *Entamoeba*, human erythrocyte phagocytosis, 1137
Syngeneic athymic mice, immunoglobulin inhibition by allotype-specific suppressor cells, 607
— cells, antigen-modified, suppression of terpolymer poly(Gly,Lys,Phe), 1539
— cells, trinitrophenyl-modified, Ir gene control of cytolytic T lymphocyte responses to, 341
— tumor cell plasma membranes, secondary induction of cytotoxic T lymphocytes, 1435
— tumors, thymus regulation of cytotoxic T-cell reactivity, 619

T

T and B lymphocytes, murine, differentiating chimeras, 727
T-cell-mediated immunity, endotoxin-induced tumor regression, 1550
T cells, alloreactive parental, host T-cell immunity to, resistance to graft-versus-host disease, 103
—, cytotoxic, anti-viral, host K or D regions of radiation chimeras, 805
—, cytotoxic, anti-viral, regulation by *Ir* genes, mapping to *K* or *D*, 592
—, cytotoxic, host response to influenza pneumonia, 1241
—, cytotoxic, *H-2*-restricted, specific adsorption to macrophage monolayers, 1711
—, cytotoxic, human antigen-specific, long-term culture, 1093
—, cytotoxic reactivity to syngeneic tumors, thymus regulation of, 619
—, cytotoxic responses, mice with influenza and vaccinia virus infection, role of *H-2* genotype, 534
—, cytotoxic, target-antigen recognition, role of fu-

sion activity, UV-inactivated Sendai virus, 276
T cells depleted of alloreactive potential, nonlysis of *H-2*-different virus-infected target cells, 128
—, helper, antigen-specific, and cytotoxic precursors, 1579
—, helper function, role of *H-2* linked genes, *I*-region and *Ir* genes expression, 1510
—, immunocompetent, maturation of immature thymocytes into, absence of direct thymic influence, 32
—, mixed leukocyte culture, synthesis of Ia antigens, 1440
—, murine, functional, determinant-specific, idiotype-bearing, purification of, 915
—, radiosensitive population, effect on sarcoma growth, 799
—, replication of vesicular stomatitis virus, mouse, 837
—, replication of vesicular stomatitis virus, role in antibody response, 850
—, suppressor, antigen-specific, immune spleen cells, 1271
—, suppressor, idiotype-specific effect on primary and secondary responses, 182
—, suppressor, *Ir*-gene regulation of secondary antibody responses to macrophage-bound glutamic acid^{60}-alanine^{30}-tyrosine^{10}, 1324
—, suppressor signals between subsets of, role of macrophages, 424
—, suppressor, spleen cells responsive to glutamic acid^{60}-alanine^{30}-tyrosine^{10}, 1282
—, suppressor, and T-lymphoma cell line, hybridoma suppressive factors, 373
T-cell interactions, cytotoxic allograft responses, 1523
— lymphoma induction by radiation leukemia virus, athymic nude mice, 1292
— sets specific for alloantigens or modified self antigens, 1414
— specific murine Ia antigens, serology of I-J and I-E subregions, 692
— response, *H-2L* gene products, 1678
T-helper cell macrophage interaction and T-helper cell B-cell interaction, histocompatibility restrictions, 1171
— helper cell subpopulation, feedback inhibition, immunoregulatory circuits, 871
— helper cells, in vivo induction, role of *H-2* complex, 478
T-lymphocyte activation, alternative pathways, 829
— subpopulation separation by monoclonal antibody, rat, 664
T lymphocytes, antigen-specific, helper function and expression of multiple antibody isotypes, 759
—, cytolytic, gene control of responses to trinitrophenyl-modified syngeneic cells, 341
—, cytolytic, response to trinitrophenyl-modified syngeneic cells, role of host genotype in radiation chimeras, 352
T lymphocytes, cytotoxic, α-fetoprotein suppression of, cellular and genetic restrictions, 360
—, cytotoxic, human, specific for influenza virus, HLA restriction, 1458
—, cytotoxic, secondary induction with syngeneic tumor cell plasma membranes, 1435
—, cytotoxic, virus-specific, induction with membrane proteins, 1620
—, Ia-bearing, human, role in allogeneic helper activity, 1423
—, mouse gut, graft-versus-host conditions, 1661
Target antigens recognized by cytotoxic T cells, fusion activity, UV-inactivated Sendai virus, 276
— cells, *H-2*-different virus-infected, nonlysis by T cells depleted of alloreactive potential, 128
— cells, tumor, cytolytic effect of macrophage stimulation by bacterial lipopolysaccharides, 544
Teratocarcinoma cells, mouse, association of H-Y male antigen with β_2-microglobulin, 58
Thromboxane generation, human polymorphonuclear leukocytes, 787
Thy-1 antigen, rat hemopoietic stem cells, 1351
Thymocyte expression, ecotropic virus, leukemia-resistant (AKR × NZB)F_1 mice, 329
— sensitization, role of *H-2* I-region determinants and cell-free mixed leukocyte culture supernates in cytotoxic responses, 953
Thymocytes, immature, maturation into immunocompetent T cells, absence of direct thymic influence, 32
Thymus, absence of direct role in maturation of immature thymocytes into immunocompetent T cells, 32
—, *H-2* antigens, lymphocyte specificity, 766
— hormone fractions, calf, in vivo and in vitro immunological activity, 71
— involution and immune deficiencies, aging mice, 996
— regulation of cytotoxic T-cell reactivity to syngeneic tumors, 619
Toxoid and toxin, cholera, role of antigen in intestinal immune response to, 195
Transplantation, bone marrow, graft-versus-host disease, minor histocompatibility barriers, mice, 1687
Trinitrophenyl-modified syngeneic cells, Ir-gene control of cytolytic T lymphocyte responses to, 341
Trypanosoma cruzi, macrophage microbicidal activity, 288
Trypanosomiasis, African, development of new drugs, 569
Tumor cell, syngeneic, plasma membranes, induction of cytotoxic T lymphocytes, 1435
— cells, nonproducer malignant, sarcoma virus genome, isolation from Moloney sarcoma, 408
—, macrophage, plasminogen activator, 811
— regression endotoxin-induced, immunological basis, concomitant anti-tumor immunity, 1560
— regression, endotoxin-induced, immunological basis, T-cell mediated immunity, 1550

Tyrosine[10], glutamic acid[60]-alanine[30]-macrophage-bound, role of suppressor T cells in Ir-gene regulation of secondary antibody responses to, 1324
—, glutamic acid[60]-alanine[30]-, spleen cells responsive to, suppressor T-cell activity, 1282

U

Ubiquinone-8, nonspecific resistance to bacterial infections, 1228

V

Vaccine against sexual and asexual stages of *Plasmodium knowlesi*, malaria immunization in rhesus monkeys, 1311
Vaccinia and influenza virus infection, mouse, role of *H-2* genotype in cytotoxic T-cell responses, 534
Virus, Abelson, lymphomagenesis, mice, 714
—, Coxsackie, induction of diabetes mellitus, beta-cell damage and insulin-dependent hyperglycemia, mice, 1068
—, ecotropic murine leukemia, receptor on mouse chromosome 5, 451
—, ecotropic, thymocyte expression, leukemia-resistant (AKR × NZB)F_1 mice, 329
—, Epstein-Barr, effects on peripheral blood mononuclear cells, rheumatoid arthritis, 1429
—, Friend, leukemia cell-surface antigens, antibody-induced loss, erythroleukemia, mouse, 1109
—, Friend murine type C, helper independent mink cell focus-inducing strains, 639
Virus genome, sarcoma, nonproducer malignant tumor cells, isolation from Moloney sarcoma, 408
—, induction of atherosclerosis, 335
— infection, lymphocytic choriomeningitis, murine, cytotoxic cell induction, 163
— infection, vaccinia and influenza, mouse, role of *H-2* genotype in cytotoxic T cell responses, 534
—, influenza A, with monoclonal antibodies, 383
—, influenza, HLA restriction of human cytotoxic T lymphocytes specific for, 1458
—, measles, activation of, from silently infected human lymphocytes, 940
—, measles, comparison of wild-type and sclerosing panencephalitis, 674
—, murine leukemia, mink cell focus-inducing radioimmunoassay for gp70s, 654
—, radiation leukemia, T-cell lymphoma induction, athymic nude mice, 1292
— Sendai, UV-inactivated, fusion activity, target antigens recognized by cytotoxic T cells, 276
— specific cytotoxic T lymphocytes, induction with membrane proteins, 1620
—, spleen focus-forming, detection of neoantigen by lymphocyte-mediated cytolysis, 18
— vesicular stomatitis, replication by mouse T cells, 837
—, vesicular stomatitis, replication by mouse T cells, role in antibody response, 850
Virus-immune T-cell recognition, *H-2L* gene products, 1678
Virus-infected target cells, *H-2*-different, nonlysis by T cells depleted of alloreactive potential, 182